

10.02 05 72
This issue contains the AUGUST INDEX

CURRENT LIST of MEDICAL LITERATURE

Vol. 17

August 26, 1949

No. 7-A



FOUNDED 1836

THE ARMY MEDICAL LIBRARY
Washington, D. C.

THIS ISSUE CONTAINS THE ANNUAL INDEX

CURRENT LIST
OF
MEDICAL LITERATURE

The **CURRENT LIST OF MEDICAL LITERATURE** is for sale by the Superintendent of Documents, U. S. Government Printing Office, Washington 25, D. C. Price. \$3.00 per year (\$3.75 foreign); 10 cents per single copy. All communications regarding subscriptions should be addressed to the Superintendent of Documents

Published weekly by the **ARMY MEDICAL LIBRARY**, 7th Street & Independence Ave., S. W., Washington 25, D. C., as an intraservice publication of the Department of the Army. Lists articles of medical interest contained in current journals received. Subject index provided monthly. Exchange invited.

EDITOR'S NOTE

The subject headings used in the indexes to the CURRENT LIST OF MEDICAL LITERATURE follow, in the main, the form of those established by the QUARTERLY CUMULATIVE INDEX MEDICUS, published by the American Medical Association, Chicago, Illinois.

Because of limitations of space, no cross references are included in the indexes to the CURRENT LIST. Users of these indexes are referred to the QUARTERLY CUMULATIVE INDEX MEDICUS for the necessary cross references to any desired subject.

In order further to conserve space, the subject subdivisions used have been abbreviated wherever practicable. A list of the abbreviations adopted appears below:

abnorm. abnormalities	in inf. & child. in infants and children
accomm. & refrac. accommoda- tion and refraction	indust. industrial
addict. addiction	infarc. infarction
admin. & dos. administration and dosage	infect. infection, infectious
admin. & org. administration and organization	inflamm. inflammation
anat. & histol. anatomy and histology	inj. injuries, injurious
appar. apparatus	innerv. innervation
artif. artificial	insuff. insufficiency
bact. bacteriology	med. medical, medicine
bibliogr. bibliography	ment. mental
bod. body, bodies	metab. metabolism
chem. chemistry	morphol. morphology
comm. communicable	mortal. mortality
compl. complications	nerv. nervous
cond. conditions	obst. obstetrics
congen. congenital	obstruct. obstruction, obstruc- tive
defic. deficiency	pathol. pathology, pathological
deform. deformities	perf. perforation
degen. degeneration	phys. physical
dent. dental, dentistry	physiol. physiology, physio- logic
determ. determination	pois. poisoning
develop. development	postop. postoperative
diag. diagnosis, diagnostic	pregn. pregnancy
dis. diseases	preop. preoperative
disloc. dislocations	prep. preparation, preparations
disord. disorders	preserv. preservation
econ. economic	prev. prevention
educ. education	prod. production
eff. effects	progn. prognosis
embryol. embryology	progr. progress
epidemiol. & statist. epidemi- ology and statistics	psychiat. psychiatry, psychiatric
etiol. & pathogen. etiology and pathogenesis	psychol. psychological, psychology
exam. examination	pub. public
excis. excision	regen. regeneration
exper. experimental	roent. roentgenography
for. bod. foreign bodies	rupt. rupture
form. formation	san. sanitation
fract. fractures	seq. sequels
Gt. Brit. Great Britain	serv. services
gyn. gynecology	soc. social
hemorrh. hemorrhage	standard. standardization
hered. heredity	strict. stricture
hist. history	surg. surgery, surgical
hosp. hospitals, hospitaliza- tion	ther. therapy
hyg. hygiene	tox. toxicity
immun. immunity	train. training
	transm. transmission
	transpl. transplantation
	traum. traumatic
	U. S. United States
	wds. wounds

SUBJECT INDEX

Vol. 17, Nos. 5-7 (cols. 193-360)

August 26, 1949

- ABDOMEN, acute cond. 226r; dis. 220i; drainage 231o, 231p; for. body. 301g, 318a; perf. 328n; surg. 266a, 270g, 329m, 346s; tuberculosis 330k; tumors 337h; wds. & inj. 230v
- ABORTION, 268e; compl. & seq. 338f
- ABSCESS, 285a; subphrenic 222i; ther. 327f
- ACCIDENTS, 355p
- ACETALDEHYDE, 352w
- ACETANILID, 197f
- ACETATES, 241s, 280a; metab. 310o
- ACETONE, metab. 310q
- ACID, p-aminobenzoic 202a, 236u, 236v, 279w, 313v, 319v; anthranilic 259a; aspartic 310q; benzoic 198b, 198c; carboxylic 198p, 257n, 311c; fatty 311c, 325b; glutamic 197h, 198k, 278g, 306o; hippuric 198b, 279w; organic 279a; pyruvic 257g; stearic 199i; succinic 204m, 256e, 280a; sulfuric 237i; trichloroacetic 230i; valeric 199a
- ACID-BASE EQUILIBRIUM, 201q, 296c, 310g, 310h
- ACIDOSIS, exper. 347i
- ACNE, 327i, 352s; ther. 313u
- ACRIDINE DYES, 197c
- ACRODYNIA, 348g
- ACROMEGALY, 330-1
- ACTINOMYCOSIS, 277n; facial 255d
- ADDISON'S DISEASE, 269m
- ADOLESCENCE, 240h, 240j
- ADRENAL PREPARATIONS, 226i, 280n, 295w; eff. 219o, 223p, 249g, 256i, 280i, 294e, 315f, 353c; metab. 294d; ther. 223c; tox. 242i
- ADRENALS, 216d, 220p; dia. 273n, 351d, 355t; embryol. 223a; excis. 297k, 351h, 353i; insuff. 219o, 315f; pathol. 194w, 319h; physiol. 235s, 305m, 342c, 351g; secretion 280c, 293r, 294h, 297j, 308b, 330i, 353g, 353i; transpl. 193e; tumors 195c, 226u, 272i, 273t, 309s, 332s, 347a
- ADRENOCHROME, 210h
- ADSORPTION, 204v
- AGGLUTININS AND AGGLUTINATION, bacterial 210p; hemagglutination 347f
- AGRICULTURE, 210r
- AIR, 317k; bact. 249i
- ALBUMIN, 239m
- ALCOHOL, 204c; in milk 237g
- ALCOHOLISM, 268t, 315r; ther. 331j, 335j
- ALKALI, eff. 264r
- ALLOXAN, 280g, 325b
- ALOPECIA, 210w; areata 312w; cicatrizzata 215k
- ALTITUDE, 353-1; high 337m
- ALUMINUM AND ALUMINUM COMPOUNDS, 255w
- AMEBAE, 306n, 317q
- AMEBIASIS, 208t, 217h, 303k, 333j; hepatic 323s; ther. 213-1, 268t
- AMENORRHEA, 222q; ther. 227-1, 338p
- AMIDES, 223i, 327h; ther. 301s
- AMINO ACIDS, 310u, 344h; determ. 310v; metab. 344g, 344j
- AMMONIA AND AMMONIUM COMPOUNDS, quaternary ammonium compounds 283e, 297u, 328s
- AMPHETAMINE, 264o
- AMPUTATION, 285o, 324b; compl. & seq. 220q
- AMYLAASE, 312n
- AMYLOIDOSIS, 228g, 328n, 347c
- ANALGESICS, 195r, 218p, 229f, 273k, 292v, 351v
- ANAPHYLAXIS AND ALLERGY, 210o, 249r, 341o, 359i; bacterial 240j, 290q, 339s; diag. 249m, 249n; etiol. & pathogen. 207o, 210u, 249d, 249k; exper. 261p, 350v; hist. 268m; in inj. & child. 249i, 269o; manifestations 202e, 226v, 331u, 345r; serum & vaccine 268-1; ther. 249g, 249-1, 249o, 249t, 269p, 269r, 350n
- ANATOMY, 217e, 321r; hist. 245a, 359o; teaching 217c
- ANDROGENS, 207s; eff. 256o, 341r; in urine 314u; ther. 206h, 213v, 230e, 260j, 320m, 341n
- ANEMIA, 227f, 318-1, 321h; aplastic 284i, 346f; classification 276g; diag. 219t; erythroblastosis 329o; etiol. & pathogen. 228t, 318m; hypochromic 347u; in pregn. & puerperium 259u; sickle cell 224t, 259u, 260f; splenic 346r
- ANEMIA, PERNICIOUS, 198i, 213g, 318o; diag. 206w; ther. 206u, 265n, 318q, 336a
- ANESTHESIA, 231s, 283c, 301m, 305v, 306a; appar. 301n, 306e; barbital & barbital derivatives 200n, 212g, 232i, 233c, 301g; cocaine 211t; compl. & seq. 305w, 306b, 306c; conduction 221g; curare 266b, 301n, 306d, 329h; eff. 342v; ether 205-1; in dent. 200e, 201b, 253v; in gyn. & obst. 211t, 229f, 259v, 260q, 274e, 274s, 306s, 332v, 340q; local & regional 200m; nitrous oxide 201b; procaine & procaine compounds 328i; rectal 274e; spinal 259v, 340q; trichlorethylene 306c
- ANEURYSM, aortic 218i, 246p, 266-1, 332p; arteriovenous 246d; basilar 292b, 292f; carotid 265p; cirroid 237m
- ANGINA, Ludwig's 266s
- ANGINA PECTORIS, 211e; ther. 224a, 268q, 283e, 308t, 308u, 308v
- ANILINE AND ANILINE DERIVATIVES, 197u, 197v
- ANTHRACENE, metab. 196j
- ANTHRAX, immun. 338s
- ANTHROPOLOGY, 193k, 205s, 317b
- ANTIBIOTICS, 228v, 264j, 329p, 347i, 347k, 347-1, 347m, 355s, 356o, 359j; admin. & dos. 333o; ther. 320r
- ANTIGENS AND ANTIBODIES, 205j, 223r, 280d, 307n, 314-1, 317k, 318a, 328s
- ANTIMONY AND ANTIMONY COMPOUNDS, 210p
- ANTIPYRINE, 203o, 353p
- ANITSEPSIS AND ANTISEPTICS, 241f, 242i
- ANTRYCIDE, 317h
- ANUS, abnorm. 357w; absence 264d; artif. 320k; cancer 307i; dis. 291b; embryol. 291b; infect. 273n
- AORTA, 239i; abnorm. 303j; roent. 248n; strict. 262s, 308f, 323k, 331m
- APHASIA, 335p; in inf. & child. 349h; visual 314j
- APPARATUS, 249n, 249t, 253a, 253s, 255t, 258i, 258k, 258m, 258n, 258r, 258t, 258u, 277a, 285v, 286n, 305n, 316w, 321k, 323w, 330g, 345v, 357a
- APPENDICITIS, compl. & seq. 268v; diag. 339t; etiol. & pathogen. 229-1; exper. 209s; pregn. & appendicitis 218e; mucocoele 282c; perf. 218u
- APRAXIA, 212p
- AQUEOUS HUMOR, 237f, 238c, 288i, 288-1, 289j, 289k
- ARACHNOID, inflamm. 212e
- ARMS, pain 226e
- ARRHYTHMIA, 198u; auricular fibrillation 272n, 308h; auricular flutter 221w, 308h, 308m

- ARSENIC AND ARSENIC COMPOUNDS, 254q; tox. 255k
- ARTERENOL, tox. 242i
- ARTERIES, bronchial 353s; carotid 238s, 239b, 270m, 335p; ethmoid 239b; gluteal 359d; iliac 264p; inflamm. 280v; pulmonary 308g, 353s; roent. 222c, 265q; surg. 301t; temporal 266v, 320k, 323o, 329i
- ARTERIOSCLEROSIS, 319t; compl. & seq. 322j; coronary 290v, 309f
- ARTHRITIS, 333i; gonorrheal 319w; in inf. & child 348k; ther. 262v
- ARTHRITIS, RHEUMATOID, 215b, 266f; blood in 278w; diag. 234g; etiol. & pathogen. 268j; in inf. & child. 326h; ther. 325u
- ASCARIS, 293j
- ASCORBIC ACID, 343t, 344b; eff. 219o; in urine 296e; metab. 319h; ther. 327h
- ASPHYXIA, neonatorum 290t, 339p
- ASTHMA, 209r, 213c, 227h, 244-1, 249w, 323p, 330o; compl. & seq. 249v, 272c, 333-1; etiol. & pathogen. 262n; in inf. & child. 298t; roent. 249s; ther. 209g, 249p, 269o
- ASTRONOMY, 205q
- ATAXIA, cerebellar 342q
- ATHLETICS, 334w
- ATLAS AND AXIS, 268s
- ATOMIC ENERGY, 205q, 205r, 220k, 221-1, 222h, 311i, 336c, 352q
- ATROPHY, muscular 323c, 342q
- ATROPINE, 293q; tox. 208u, 247q
- AUREOMYCIN, 294p; admin. & dos. 304n; ther. 261s, 264c, 281k, 304v, 337b
- AUTOMOBILES, drivers 238-1, 289m, 345m, 345o
- AVIATION AND AVIATORS, 316v; med. 283p, 340k; physiol. & pathol. eff. 243d; transportation of sick & wounded 233p, 283q
- AXILLA, 312v; tumors 326q
- BACKACHE, etiol. & pathogen. 282r, 336v; ther. 282r
- BACTEREMIA, 337b
- BACTERIA, 203p, 298o, 355m; aerogenes capsulatus 306q; cereus 306q; clostridium 198j, 213a, 334n; coli 252p, 310w, 347m, 349s; culture 306v; culture mediums 250v; eff. of irradiation on 246v; influenza 289r; lactic acid group 197g, 310e, 311a; listeria 213a; metab. 198m, 252p, 257i, 306w; morphol. 257i; nisseria 306i; pseudomonas 204t, 350i; streptobacilli 255a, 255e; subtilis 252i
- BACTERIOLOGY, 228r
- BACTERIOPHAGE, 243j, 264j; action 317e; staphylococcus 306j, 306k
- BAL, 202c; ther. 284i, 313j, 341s, 352c
- BALNEOLOGY AND BALNEOTHERAPY, 267w
- BARBITAL AND BARBITAL DERIVATIVES, 234m, 242w; eff. 234w, 351a; tox. 208v, 213k, 223c, 249k, 284d, 291o, 304r
- BARLEY, 203u
- BEEF, 343q, 343u
- BEEES, stings 269i
- BEEETLES, 250o
- BEEETS, 257n
- BEHAVIOR, 354k, 354-1
- BENZENE, 197s
- BERYLLIUM, 208i, 264a; tox. 323m
- BILE, acids & salts 239i; eff. 284m; secretion 264g
- BILE DUCTS, 239f; abnorm. 348r, 357-1; surg. 281c, 348r
- BILIARY TRACT, calculi 225m; dis. 228e, 267h; surg. 248e
- BIOLOGY, 316h
- BIOMETRY, 193q
- BIOPSIES, 260r, 274i, 307g
- BIRDS, parasites 250k
- BIRTH, 269c
- BIRTH CONTROL, 231t
- BLADDER, calculi 217w; cancer 251g, 301o; cysts 217w; dis. 210n; exstrophy 282v; inflamm. 219e, 304o, 359n; tumors 215h, 360c, 360h
- BLASTOMYCOSES, 228n
- BLINDNESS, ther. 238g
- BLOOD, 209v, 315u, 318t; calcium 206j, 223n, 265d, 268t; carbon dioxide 198s; cells 346w; chem. 296c; cholinesterase 350b; circulation 278r, 305v, 353c; colloids 296s; count 269s, 318n; dialysis 213n, 265g, 272t; enzymes 197j, 217o, 242b, 279d; exam. 222o; fats & lipoids 220n, 222o, 306r; groups 232i, 346n; histamine 208r; indican 201j; iodine 235r; iron 295m, 295n; penicillin 233i; phosphatase 349v; phosphorus 223n, 268t, 296p; pigments 352g; platelets 280k, 292c, 293h; potassium 206j, 320e, 336b; preserv. 284n; proteins 206-1, 225h, 227a, 236g, 258v, 279i, 294c, 309v, 311d, 340p, 347i; prothrombin 198q, 255k, 277c, 329n; reaction 310g; sedimentation 210a, 352t; serum 279n; specific gravity 318r; stains 219j; streptococci 306m; urea 317g; volume 283k; zinc 198i
- BLOOD COAGULATION, 219s, 219w, 228a, 228b, 230d, 277c, 277d, 309v, 318r, 321a, 338m
- BLOOD PRESSURE, 223p, 228-1, 336-1; determ. 279e; eff. of drugs on 297k; in surg. 301-1; intracardiac 280b; variations 340d
- BLOOD PRESSURE, HIGH, 215e, 238a, 276k, 330e, 345-1; compl. & seq. 327g; etiol. & pathogen. 276e; exper. 336f, 353i; heredity 339j; in inf. & child. 347r; ther. 196v, 218c, 221b, 263i, 268i, 269g, 275o, 277h, 308q
- BLOOD SUGAR, 208k, 220n, 236u; eff. of drugs on 280n, 296p; hypoglycemia 296b; in various cond. 350e
- BLOOD TRANSFUSION, 219q, 295e, 330g, 346n; compl. & seq. 333q; exper. 300r; in inf. & child. 348q; indications 264b, 265s, 325n; technic 271w
- BLOOD VESSELS, 336s; dis. 238b, 266j, 277o; physiol. 333h
- BODY, height 298i; weight 285k, 298i, 320i
- BONES, 239o; dis. 300-1, 327k, 341a, 357g; fragility 200r; marrow 198d, 207a, 223f, 346w; pathol. 341d; physiol. 305r; syphilis 240r; transpl. 248r, 302k; tuberculosis 230o, 230p; tumors 214-1, 226p, 233e, 341g
- BORON COMPOUNDS, 280g
- BRAIN, abnorm. 302h; abscess 218o, 359j; anat. & histol. 234r, 234t, 234u, 236h, 305g; blood supply 246d, 272g; chem. 197m, 198k, 296s, 310u; dis. 265e, 327s, 337e, 342f, 342s, 348j; edema 249k; electroencephalography 235u, 286h, 286i, 286j, 286k, 286-1, 286n, 297o, 342n, 348d, 358u; embryol. 234s; localization of function 226j, 342i; pathol. 239k, 302b; physiol. 227-1, 234w, 295s, 322o, 350u, 353o, 353p, 353q; roent. 267-1, 273-1, 322p, 350f, 357h; surg. 209g, 273-1, 284u, 331m, 334e, 342j, 342k, 357i; tumors 195j, 262u, 347i, 356a, 356s; wds. & inj. 301u, 302b, 329d, 349t, 358u
- BREAST, 205e; cancer 195r, 206h, 267b, 268c, 289c, 291f, 307i, 307v, 321u, 326d, 341r, 355j, 357o, 358c; develop. 223r; dis. 313s; hypertrophy 223p; innerv. 293a; Paget's dis. 232k; physiol. 293e; surg. 248v, 321u, 357o, 358e
- BROMIDE AND BROMINE, 199f; tox. 327a
- BRONCHI, anat. & histol. 325s; cancer 195s, 224w, 283s, 283t, 283u, 283v, 283w, 322n; cysts 358w; dis. 349o; obstruct. 209d, 333-1; spasm 214i; strict. 292a, 323n; tuberculosis 223d, 304i; tumors 226o
- BRONCHIECTASIS, 214h, 218o; diag. 275n; etiol. & pathogen. 356c; roent. 356c; ther. 275m, 303w

- BRONCHOSCOPY, 283w
 BURNS, 211-1,359c; exper. 351m; ther. 284r,302f,302g
 BURSA, inflamm. 273v,334v
 BUTTOCKS, tumors 247w
 CACHEXIA, 213p
 CACAO, 204p
 CACHERA, RENÉ, 338o
 CAFFEINE, ther. 214e
 CALCANEUM, fract. 356p
 CALCIFICATION, 357g
 CALCIUM AND CALCIUM COMPOUNDS, chloride 285w,347i; metab. 213o,254p,344i
 CANCER, 195p,218s,229n,307u; adenocarcinoma 194v; blood in 251n,339j; cells 260f,320u,325n,335f; chorionic 260v,283-l; diag. 195i,209k,251-l,260f,263a,283e,283u,283v,284h,307g,307h,325n,332b,335f,336-l; epidemiol. & statist. 307c,355j; epithelioma 202j; etiol. & pathogen. 326p; exper. 194t,194u,195a,195d,195p,196f,196-l,279c,307k; in inf. & child. 224f; metastases 196k,200q,206h,289c,301j,338v,341r; precancerous cond. 195m,313n; prev. & control 307v,326d,332-l,355f; progn. 307i; radiother. 216s; radium ther. 307u,338v; roentgenotherapy 195t,216v,307u; ther. 195a,195u,284k; tuberculosis and cancer 255i,272c,283i; urine in 198f,198h
 CANNING AND CANNED FOODS, 344c,355d
 CAPILLARIES, 203r,216g; capillaroscopy 349s; pathol. 319t
 CARBIDES, 199j
 CARBOHYDRATES, metab. 230c
 CARBON COMPOUNDS, determ. 251u; eff. 252e
 CARBON DIOXIDE, 308j; eff. 297w; metab. 310f
 CARDIOVASCULAR DISEASES, compl. & seq. 339o
 CARDIOVASCULAR SYSTEM, anat. & histol. 212h; roent. 196s; surg. 266m
 CAROTENE, 198o; eff. 194t
 CAROTID BODY, 251i
 CAROTID SINUS, 210f,292s,301f,350t
 CARROTS, 257b
 CARTILAGE, 234d,239n
 CASE RECORDS, 216v
 CASSAVA, 204c
 CASTRATION, 195r,223m
 CATARACT, congen. 335s; etiol. & pathogen. 274e; exper. 287s; extraction 238b,287r,287v,288a; in-dust. & traum. 288d; ther. 274e,287s
 CATTLE, 254u; dis. 306-l
 CECUM, dis. 357n; tumors 210j
 CELLOPHANE, 246s
 CELLS, 246-l,257j; division 193h,205h; mitochon-dria 311c; nuclei 259d,279p; physiol. 279c,305h,305i
 CELLULITES, 202b
 CELLULOSE, 204-l
 CEREBELLUM, dis. 283a
 CEREBROSPINAL FLUID, 213c,213u,232t,295s,349g; tests 272i
 CESAREAN SECTION, 206p; technic 330m
 CHARCOAL, 198u,199k
 CHEMISTRY, 203m,258d,296g,309p,352j
 CHEMOTHERAPY, 212r,263q,337t,343m; hist. 215i
 CHILD WELFARE, 240a,312b
 CHILDREN, 270r,272k,283r,349c; dis. 271i,326h,332s; educ. & train. 207c,240j,349-l; growth & development 299k,358w; hygiene & health 244v,329c; nerv. & ment. dis. 291n,294n,354a; nutri-tion 343e; physically defective 343e,353w; psy-chology 236n,240g,240i,240-l,271m
 CHLORAL HYDRATE, 295j
 CHLORINE AND HYPOCHLORITE DERIVATIVES, ther. 202i
 CHLOROETHYLAMINES, 195t,242c,251k,279v,330c; tox. 293n
 CHLOROMYCETIN, 261m,329q,331t
 CHLOROPHENOL, 199r
 CHOLESTEROL, eff. 239i
 CHOLINE AND CHOLINE DERIVATIVES, 237b,279n,293p,295w,337w,344k; eff. 216u,332i; metab. 236q,293c,297h,297i,350u
 CHOLINESTERASE, 242m,278n,293p,294f,309n,337w,351h,352a
 CHOROID, inflamm. 288g
 CHOROID PLEXUS, 193g
 CHROMATOGRAPHY, 198d,279a,317i,347h
 CHROMOSOMES, 205a,205f,205i,259k
 CICATRIX, 193-l,225e
 CINNOLINE, 257u
 CISTERNA MAGNA, 350f
 CITRATES, 257p
 CITRININ, 258w
 CLIMATE, 227h,284o,334r
 CLINICS, 275j
 CLOTHING, 235n,349q
 COBALT, 199j
 COCCIDIOIDOMYCOSIS, 226g,249u,320a,354v
 COITUS, 235n,315v,325f
 COLD, 254p,257k,317p,327g; eff. 299-l,344b
 COLIC, hepatic 356-l
 COLITIS, mucous 267n; ulcerative 217-l,221p,222n,274a
 COLLAGEN, 197f,343q
 COLLOIDS, 199h,199n
 COLON, blood supply 297-l; dilatation 230g; dis. 302s; hernia 269-l; surg. 275m,320k; tumors 247s
 COLOR, 344d
 COLOR BLINDNESS, 205v,238h
 COLOR PERCEPTION, 253b,287d,286g
 COLORIMETER AND COLORIMETRY, 251u,259g,318d
 COLOSTOMY, 274r,343e
 COLOSTRUM, 309k
 CONTRACTURE, knee 333i
 COMA, 208v; ther. 213k
 COMMUNICABLE DISEASES, 216p,229v,245a; prev. 221i
 COMPLEMENT, 254r
 CONDYLOMA, ther. 304u
 CONJUNCTIVA, 237o; tuberculosis 237s
 CONJUNCTIVITIS, 211m
 CONSTIPATION, ther. 282s
 CONVULSIONS, 294n; etiol. & pathogen. 305w; in inf. & child. 336u,348o; ther. 342c
 COOKING, 343u
 COPPER, 203-l,251u; metab. 350g
 CORN, 257k
 CORNS, ther. 224e,340t
 CORNEA, surg. 224-l,238j,287m,287n,287r,288p,345j; ulcers 238h,343b
 CORONARY VESSELS, 295w
 CORPUS LUTEUM, physiol. 315c
 CORPUS STRIATUM, 235b,289b
 COTTON, 193o
 CRANIUM, dis. 229h,348t; fract. 273g; osteomyeli-tis 247t; pathol. 220v; pressure in 346b; surg. 247w,322j; tumors 217g,273-l; wds. & inj. 273a,303o
 CRIME AND CRIMINALS, 227c,315n,315p,328o; psy-chol. & psychiat. aspects 299v
 CRIPPLES, care of 240d
 CRUVEILHIER-BAUMGARTEN SYNDROME, 213i
 CRYPTOCOCCOSIS, 331p
 CULTURE, 259e
 CURARE, 219h,297q,351n; admin. & dos. 283d; eff. 247n,279s,282n,305v,351-l; ther. 223a
 CUSHING SYNDROME, 232m,280w,338h

- CYANIDES, 251v
 CYANOSIS, 262i, 268h, 271-1
 CYSTINE AND CYSTEINE, prep. 309-1
 DDT, 194b, 211p, 266r, 293h, 317-1, 319k; eff. 299a, 319j
 DEAF-MUTISM, 209n
 DEAFNESS, aids 290a; etiol. & pathogen. 346c; ther. 238t, 290a
 DEATH, 325h, 336q; causes 216t, 221q, 331j; sudden 316a, 328s
 DEFICIENCY DISEASES, 267e
 DEGENERATION, fatty 339c
 DEHYDRATION, 217-1; exper. 296n
 DELINQUENCY, 240i, 240j, 315m, 315q
 DELIRIUM, 217p
 DENTISTRY, 200c, 200g, 201a, 228q, 253s, 253t, 253w, 254d, 311n, 311p, 312a, 312m, 356v; econ. 312b, 312d 312g; in China 219u; orthodontic 312p
 DEPRESSION, ther. 329t
 DERMATITIS, 249o, 255f; etiol. & pathogen. 215-1; herpeticiformis 202h; vegetans 326-1
 DERMATOLOGY, 201o, 202c, 267r, 267s, 267t, 267u, 267v, 267w
 DERRIS, 256v, 257a
 DEXTROSE, 256m; glycolysis 310u, 353o
 DIABETES INSIPIDUS, 335r; etiol. & pathogen. 289c, 332j; ther. 326-1
 DIABETES MELLITUS, 227v, 228q, 284o, 294n, 325b; acidosis in 221j, 320d; blood in 220n; coma in 221j, 222a, 337b; compl. & seq. 224a; diag. 269k; etiol. & pathogen. 277k; exper. 223t, 278k; eyes in 237s; in inf. & child. 216n, 322b; pregn. & diabetes 259t; surg. in 225p; ther. 220r, 269e, 269k, 275w, 321c, 325c; tuberculosis & diabetes 322b
 DIABETES, RENAL, 348w
 DIAGNOSES, 267b
 DIAPHRAGM, abnorm. 281g; metab. 310b
 DIARRHEA, 349o; in inf. & child. 286w, 326r, 348n
 DICUMAROL, 198q, 232q, 232w; determ. 279-1; eff. 236s; ther. 262t, 277c; tox. 304s
 DIET AND DIETETICS, 329c, 343e; deficient 276i; disease & diet 315b, 353e; exper. studies 198n, 241v; teaching 355k
 DIGESTIVE SYSTEM, 225-1; cancer 284h; dis. 202u, 203a, 262p, 268e, 302d; surg. 301j
 DIPHENHYDRAMINE, ther. 293t
 DIPHTHERIA, 244r; bacilli 203q; compl. & seq. 349g; immun. 272o, 282h; mortal. 273d; pharyngeal 273d; prev. 337t
 DIPLOPIA, 287o, 289d
 DISEASE, 220i; etiol. & pathogen. 331h; phys.-ment. relationships 224r, 235r, 235t, 235u, 253t, 253w, 268j, 271p, 281c, 320u, 330q, 331p, 342e
 DISINFECTION AND DISINFECTANTS, 273f, 294-1
 DISTOMIASIS, 212w
 DIURESIS AND DIURETICS, 216s, 223i
 DREAMS, 235n, 235t
 DROWNING, 321p
 DRUGS, 200g, 232m, 241t, 284a; admin. & dos. 283r; metab. 294e; tox. 284d
 DUCTUS ARTERIOSUS, 211b, 338t
 DUODENUM, calculi 336b; physiol. 279k; rupt. 274q; surg. 358h
 DWARFISM, 324v, 335o
 DYSCONDROPLASIA, 341j
 DYSENTERY, 285h; bacilli 207n; in inf. & child. 201k
 DYSMENORRHEA, ther. 221h
 DYSTONIA, 332h
 DYSTROPHY, 264j; muscular 218-1, 348m, 349k
 EAR, 346b; anat. & histol. 238v; cancer 272c; discharge 290i; dis. 218j; internal 345s; surg. 289s, 330e; tuberculosis 272c; tumors 238w, 251i
 ECHINOCOCCOSIS, 209w, 358e
 ECHINOSTOMA, 250c, 250d
 ECLAMPSIA, 270c; compl. & seq. 269f
 ECONOMIC CONDITIONS, 316h
 ECONOMICS, MEDICAL, 282j; plans for med. care 207g, 261f, 261g, 263s, 287f; types of med. practice 322e
 ECTODERMAL DEFECT, 254q, 255-1
 ECZEMA, 225k, 269k; etiol. & pathogen. 273w; in inf. & child. 220q; ther. 249q, 313s
 EDEMA, 233n; cardiac 211d
 EDUCATION, MEDICAL, 207g, 217b, 217e; in Poland 245q
 EELS, 223v
 EGGS, 203t, 343r
 ELBOW, surg. 340c
 ELECTRICITY, 207d; inj. eff. 202-1
 ELECTROCARDIOGRAPHY, 196o, 211e, 212m, 215j, 222a, 226q, 232v, 268-1, 270p, 295p, 308e, 308-1, 309c, 309e, 332o
 ELECTROLYTES, 199-1, 229m
 ELECTRONS, 203j, 204g
 ELECTROTHERAPY, 236g, 282m, 342g, 342o; technic 342o
 ELEMENTS, 270c
 EMBOLISM, 306a, 339o; cerebral 301t, 301w; etiol. & pathogen. 330b, 339k; gas 330o; pulmonary 228c, 263r, 285o, 300t, 323u, 324g
 EMBRYOLOGY, 256i, 344o, 344r; human 194k
 EMOTIONS, 209v, 281c
 EMPHYSEMA, 308j; pulmonary 330w; subcutaneous 249v, 324v
 EMPYEMA, ther. 359e; tuberculous 231v
 ENCEPHALITIS, 215w, 323-1; compl. & seq. 328d, 340f; epidemic 251q; etiol. & pathogen. 333s, 349d; in inf. & child. 348e, 348j; prev. 272q; ther. 323a
 ENCEPHALOMYELITIS, 278i, 349j; equine 272o
 ENDARTERITIS, obliterans 309a
 ENDOCARDITIS, infect. 220c, 227m, 265h, 271e, 308g, 320f, 321t, 323v, 327-1, 341o; ther. 328j
 ENDOCRINE GLANDS, 202u, 203a, 203b, 294g; dis. 277k
 ENDOCRINE THERAPY, 224p
 ENDOMETRIOSIS, 221i, 222w, 246o, 251d, 260g
 ENDOMETRIUM, 194i, 194k; pathol. 260r; surg. 260-1
 ENTOMOLOGY, 194o
 ENZYMES, 195b, 197m, 197o, 204k, 205g, 243j, 252c, 252m, 252n, 252o, 293o, 296h, 309o, 309p, 309r, 310a, 310k, 310-1, 310m, 310n, 310r, 311b; proteolytic 197j, 197k, 198j, 309w
 EOSINOPHILS, 210d, 215c, 221n, 323d, 331q, 332s
 EPIDEMIOLOGY, 300a, 334j, 355c; hist. 232c
 EPIDERMOLYSIS, bullosa 277m
 EPIDIDYMITIS, tumors 360m
 EPIGLOTTIS, 289r
 EPILEPSY, 209j, 228-1, 332b; etiol. & pathogen. 331k; in inf. & child. 291m; ther. 232-1, 327t, 342h
 ERGOT AND ERGOT PREPARATIONS, 241r, 351t; ther. 214e
 ERYSIPELAS, 266k
 ERYSIPELOID, ther. 314c
 ERYTHEMA, annulare 313b; multiforme 214o, 333j; nodosum, 214o
 ERYTHROBLASTOSIS, FETAL, 270n
 ERYTHROCYTES, 204w, 228k, 280m, 296j, 296v, 334f; destruction 279c; permeability 259j
 ERYTHRODERMA, 339f; ichthyosiform 339b
 ESOPHAGUS, abnorm. 215f; atresia 222e, 226m, 239i, 247f, 271-1, 331i, 337d, 350a; cancer 211v, 247d, 301k, 358t; diverticula 221a, 358r; for. body 332c; pathol. 324v; perf. 332c, 357k; spasm 213-1, 222d; strict. 239g, 247e, 322n; surg. 301-1, 328m, 336t;

- varix 346p
ESTROGENS, 194t, 223s, 260p, 265d, 279t, 283-l; eff. 194u, 223m, 223u, 276t, 291a, 315c, 351g; ther. 213s, 224p, 225w, 260i, 313s, 320m, 325v, 327g, 338p
ETHER, tox. 306t
ETHICS, MEDICAL, 233f
ETHYLAMINE, 350m
ETHYLENE GLYCOL, tox. 350p
EUNUCHOIDISM, ther. 230e
EUSTACHIAN TUBE, 290m
EXERCISE, 299n; eff. 296o, 296q, 299m
EXOPHTHALMOS, 275-1, 345-l; pulsating 287o
EXTREMITIES, artificial 216g, 334c; blood supply 210e, 235i; paralysis 308-1, 320i, 340w; wds. & inj. 233d
EYELASHES, 345i
EYELIDS, dis. 288w
EYES, 238m, 238n, 289v, 290c, 290d; abnorm. 311s; accomm. & refrac. 243g, 243u, 244e, 252w, 287c, 287e, 345h, 345m; artif. 237w, 238f; dis. 208u, 212i, 228u, 237r, 287p, 287u, 288o, 288s, 344v; for. body 237o, 345e, 345g, 345k; in various cond. 288t, 289f, 289g, 330e, 345d; inflamm. 288w; muscles 288k, 288m; paralysis 265p, 265q, 289d; pathol. 238a; surg. 330n; syphilis 345b; tension 289i; tuberculosis 275i, 288u; tumors 237r, 288s; wds. & inj. 224f, 237q, 315w
FACE, abnorm. 248s; dis. 218j; expression 221c; fract. of bones 254h; surg. 237w, 253n, 312o; tumors 264m; wds. & inj. 212-l
FALLOPIAN TUBES, absence 248m; dis. 321q; edema 213u; roent. 260m, 356e
FASCIOLA, hepatica 204o, 212w
FASTING, blood in 314j; metab. in 296h
FAT, 237g, 241n, 248s, 344a; eff. 344i; in diet 237b 344q; metab. 305i, 344p; necrosis 314b
FATIGUE, 299j; muscular 219o
FAVUS, 255d
FECES, exam. 336j; fat in 213o, 314p
FECUNDITY, 278k, 360q
FEEBLEMINDEDNESS, diag. 353w; etiol. & pathogen. 270b, 335s, 342g
FEMUR, fract. 222g, 263n, 341b, 341c, 357s; tuberculosis 282i
FERTILIZERS, 306n
FETUS, 224c; abnorm. 277i; death of 240t; develop. 297g; physiol. 246e, 309k
FEVER, 211j, 212o, 214u; diag. 276c; therapeutic 287i, 304t
FIBRIN, 310r
FIBRINOGEN, 310r, 314i
FILARIA, 250h
FILARIASIS, 250g; ther. 268u
FILTERS, 253e
FINGERS AND TOES, abnorm. 214o; anat. & histol. 305g; dis. 271s, 321i; hallux valgus 285v; surg. 224e, 248u; syphilis 292m
FISH, 193r, 204b, 223n
FISTULA, anal 273b; arteriovenous 224o, 264d; bilio-bronchial 248m; bronchial 339b; esophagogastric 239t, 331i, 337d; gastrojejunocolic 262u, 357m; genitourinary 229c; menstrual 206c; nasal 302g; rectal 273h, 284t; ureterorectal 304g; ureterovesicovaginal 321n; vesicovaginal 229c
FLATULENCE, 209h
FLAVONES, 242r
FLIES, 204q, 243-l, 243m, 256j, 256u, 317-l
FLUIDS, 198m, 338j, 338k
FLUORIDES, 237j, 257p, 311v, 312c
FLUOROACETATES, 353p
FOLLICULITIS, 313f
FOOD, 295b, 344a; pois. 245k; san. 266k
FOOT, deform. 233v, 234a, 248-l, 303d; dis. 285t; fract. 329v; hyg. 285w; roent. 356v; tumors 341f
FORCEPS, 225k
FOREIGN BODIES, 266m, 300m
FOWL PLAGUE, virus 354w
FOWLS, 317f, 344f; dis. 204b
FOX-FORDYCE DISEASE, 201g
FRACTURES, 247n; ther. 216b, 222g, 231d, 301q
FRAMBESIA, 246m
FRONTAL BONE, osteomyelitis 277g
FROSTBITE, pathol. 275a; ther. 275a
FRUITS AND VEGETABLES, 293v, 343v, 344d; vitamin content 344b
FUNGI, 244t, 249i, 250p, 250r, 250t, 250u, 252m, 252n, 252o, 255j, 259d, 269p, 285t, 306p, 347n, 354t; culture 197q, 250s, 250w, 310j, 347j, 347k
FUNGICIDES, 252f
FURUNCULOSIS, 201h
GALLBLADDER, 357c; calcification 335n; calculi 323i; cancer 248o, 251c, 358e; dis. 206t, 325e, 331g; excis. 219j, 272-l, 321t; perf. 328n; roent. 218g; surg. 301h
GALLIUM, 242g
GAMMEXANE, 194b
GANGLION, 237a, 341d; cervical 301u; stellate 302e; sympathetic 235d
GANGRENE, 213j; gas 276w; determ. 258h; pois. 291d
GASTROENTEROLOGY, 254b, 278j
GASTROINTESTINAL TRACT, 203b; blood supply 209q; dis. 202v, 216a, 217q, 240v, 338i; eff. of drugs on 216u; for. body 282w; innerv. 217q
GENITALS, anat. & histol. 317f; dis. 213c; pathol. 315f; physiol. 279t; prolapse 270h, 276h; tuberculosis 215r; tumors 195n, 276t
GENITOURINARY TRACT, pain 304n; tuberculosis 225g, 320r, 360n
GERMICIDES, 241d
GIGANTISM, 223t
GLANDS, surg. 292h
GLASSES, 253c, 284f, 317u; contact 269i, 345i
GLAUCOMA, 217t; etiol. & pathogen. 247q; pathol. 288e, 288h; ther. 238e, 288u, 289h, 289i, 289k, 289p
GLUCOSE, 310b, 353c
GLUTAMINE, 197h
GLYCOGEN, in liver & muscle 223-l, 336m
GLYCOSIDES, 352i
GNATS, 194a
GOITER, epidemol. & statist. 227i; etiol. & pathogen. 208n, 319p, 344f; exper. 281e; iodine & goiter 281e
GOLD AND GOLD COMPOUNDS, 234i, 332e; eff. 278o; sodium gold thiosulfate 284i; ther. 221n
GONADOTROPINS, 222q, 223k, 223s, 260i; chorionic 222k, 223k, 237i, 315d
GONOCOCCI, 255e
GONORRHEA, 255c, 324n; prev. 270v; ther. 202g, 254u, 304n
GOUT, 231r; ther. 212d, 288e
GRAAFIAN FOLLICLE, 194h
GRAIN, 203v, 355d
GRANULOCYTOPENIA, 336v; ther. 341s
GRANULOMA, 263v; annular 326i
GROIN, sarcoma 228i
GROWTH, exper. studies 252g, 344g, 344p
GUANAMINES, formo 223i
GUANIDINE AND GUANDINE COMPOUNDS, 350o
GUILLAIN-BARRE SYNDROME, 236i
GUMS, dis. 209j, 254f, 331f, 336c; surg. 253h
GYNECOLOGY, 206b, 206-l, 208e, 260e; surg. in 229r, 283k; ther. in 260h, 275p, 343f
HABIT, 354d
HAIR, 205v; absence 347s; dis. 227b; excessive 277o
HALLUCINATIONS, 217p, 236f, 342r
HALOGENS AND HALOGEN COMPOUNDS, 241d

- HAND, dis. 225q,269k,277n; infect. 335e; roent. 215q; tumors 302d; wds. & inf. 221s
- HANDWRITING, 244m,244n
- HARELIP, 248p,292n,337k
- HAY FEVER, 269o; ther. 269g
- HEAD, 193d; roent. 246e; tumors 345u; wds. & inj. 212-1,285n,320m,342e,342n
- HEADACHE, 200m,228b; ther. 214e,223c
- HEALTH, 294s; educ. 244u,245a,245g,245h; resorts 263j,333s
- HEARING, 243w,244a,289v,289w,326b,354f; disord. 238u; physiol. 238g; tests 290-1
- HEART, 276f; abnorm. 196s,210q,240a,266e,268h, 292j,338t; beat 309c; block 212m,308-1; blood supply 224b; catheterization 196n,356w; conductive system. 196u,353j; dilatation 280k,308n; dis. 276n,309h,331j,339o; displacements 262i; eff. of drugs on 256-1,278r,278s,351f; hypertrophy 226q, 239m,308k; infarction 198t,211e,212m,277e,309f; innerv. 236k,309g; insuff. 196q,216s,217h,231f, 262t,272b,284w,338r; pain 280-1; pathol. 353j; physiol. 236k,279q,293m,297i,297o,332m; rate 196q,296o; reent. 268h,280b,319q; surg. 232g; tumors 309e
- HEAT, eff. 239m,296w,297-1
- HEEL, cancer 248f,248j,358f,358r
- HELIUM, 204h
- HEMATURIA, 220t
- HEMIANOPIA, 288g
- HEMIPLEGIA, in inf. & child. 225e,347i
- HEMOGLOBIN AND HEMOGLOBIN COMPOUNDS, 311f; determ. 206-1,258v,318r,325q; form. 242a; tox. 292d
- HEMOGLOBINURIA, paroxysmal 280v
- HEMOPHILIA, 228g,280g
- HEMOPOIETIC SYSTEM, dis. 278u,356b
- HEMORRHAGE, 346g; blood in 253-1; ther. 293i
- HEMOSTASES, 210h,269v,280k
- HEPARIN, 256-1,261g; admin. & dos. 344v; metab. 305h,350p; ther. 222b,265h,265i; tox. 293i
- HEPATITIS, INFECTIOUS, 225d,264a,292c,329f
- HEREDITARY, 210k,259g,259i,261k,317d,343c; in dis. 320v,347a; human 226-1,315u,318t; in plants 258a,259m; mechanism 259j,259-1,259n,265b, 278j
- HERNIA, diaphragmatic 248f,266d; femoral 272h, 329s; in inf. & child. 357q; inguinal 272h,274g; mesenteric 300v; spigelian 300s,329r; ther. 271f; umbilical 283c,357q
- HERPES, compl. & seq. 325e; simplex 251p; zoster 264b,338b
- HEXOSES, 252b
- HIP, ankylosis 341e; dis. 226a,271i,286d; disloc. 226s,246h,282u,348p; surg. 281r; tuberculosis 226c; tumors 358o
- HISTAMINE, 208o,210o,236f,242c,263o; antagonists 201o,227n,242f,249e,249m,255f,269i,269q,269r, 281n,281o,293-1,325j,351k,358d; eff. 209u,293k; metab. 261q,351m; ther. 249u,350n
- HISTIDINE, 327g
- HISTOPLASMOSES, 354u,354v
- HODGKIN'S DISEASE, 195k,328k,337r; diag. 276c; pathol. 290t,290u; ther. 195t,206v
- HOMEOPATHY, 254d,295h
- HOMICIDE, 317q
- HOOKWORM INFECTION, 217v
- HORMONES, 205g,226v,321p; eff. 223n; sex. 195a, 267b,309s,333r; ther. 328u
- HOSPITALS, 214d,339r; admin. & organ. 261f,319a, 319c,336o,340m; children's 240d; chronic sick in 328w; dietetics 277d,319d; economics 319d; equipment and supplies 261f,318v,319c; fires 207h; hist. 333r; hyg. & san. 318w; in France 336o,352s; in Spain 214t; military 227e; personnel 231w; pharmacy 352s; planning 207j; phys. med. in 261e; psychiatric 232a,284c,285p, 343j; records 207i; staff 285q
- HOUSING, 205o,210u,244w
- HUMERUS, fract. 231d,281w
- HYALOMMA, 250u
- HYALURONIDASE, 204k,246f,295s,306g,314d,314e
- HYDANTOINS, ther. 232-1
- HYDRARTHROSIS, 341n
- HYDRAZINE, 315i
- HYDROCARBONS, 198u,204r,294b
- HYDROCELE, ther. 334i
- HYDROCEPHALUS, ther. 283a
- HYDROGEN, 197c; determ. 251u; peroxide 197n
- HYDROGEN ION CONCENTRATION, 199-1,232s
- HYDROQUINONE, 197s
- HYGIENE AND SANITATION, 209m,271b
- HYPEROPIA, 287e
- HYPNOSES, 253v; hist. 271j; therapeutic 234m
- HYPNOTICS, 214d
- HYPOSPADIAS, 360k
- HYPOTHALAMUS, blood supply 296r
- HYSTERIA, canine 241w; manifestations 321h,342h
- ICHTHYOSIS, 201e,277-1
- IMIDAZOLES, 315j
- IMMUNITY, 256e,261k,324m
- IMPETIGO, herpeticiformis 255p
- IMPREGNATION, 269c
- INDUSTRY AND OCCUPATIONS, 245w,274t; absenteeism 245j,245n; dis. & pois. 202m,208g,249o, 286v,290b,333a,333b,333d,338d; hyg. 208f,238f, 298p,333c; inj. 208c,244s,335a; med. & surg. 208e,245u,245v,290c,332w,355g; nutrition in 355m
- INFANTILISM, 213t
- INFANT WELFARE, 240m,240s
- INFANTS, 266b,283c,301g,329-1; care 240o,343d; dis. 263a,264u,264v,272h,302r,324g,343d,347p, 349a,349t; feeding 266q,328g,344-1,349e; growth & develop. 193d,339v,347r; mortal. 271c,299u; nutrition & nutritional disord. 287k,349i; premature 240o,266g,299u,328q
- INFANTS, NEWBORN, 240o,282q,312v,349k; dis. 276n,292c,292e,314b,348c,349j; inj. 342g
- INFECTION, 233g,256e,266m,322r; blood in 221v; prev. 219t; ther. 337f
- INFLAMMATION, 202d,203r
- INFLUENZA, 335w; epidemiol. & statist. 207r; etiol. & pathogen. 264n; immua. 261i,261m; virus 251p,252q,261n,261o,306u,317e,347f,347k
- INFRA-RED RAYS, 204f; appar. 258g; eff. 205a
- INFUSORIA, 309j
- INHALATION, 317s; appar. 249p; ther. 241-1
- INJECTIONS, 305m; intravenous 328v; retrobulbar 345a
- INSECTICIDES, 193o,193t,194b,257i,270w,316p,319j, 352o
- INSECTS, 194o,194q,316k,316o,317h; bites 328g
- INSTRUMENTS, 270q,328v
- INSULIN, 197i,197q,316-1,325c; eff. 218p,296a,311g; ther. 320i; tox. 327o
- INSURANCE, sickness 228s,229k,317o,333b
- INTELLIGENCE, 298c
- INTERFEROMETRY, 257s
- INTESTINES, abnorm. 263n; anastomosis 272-1, 318-1,321g; bact. 278t; cancer 195m,217n,324j; dis. 208t,215g,247q,263n,272r,283g,284t,291k, 328u,335d,338e; diverticula 229p,274g,347d; eff. of drugs on 351j; infarction 276h,358n; intubation 224p; lavage 231o,231p; motility 204m,353t; mucosa 221p,223q; obstruct. 214f,231c; parasites 204o,215o; perf. 214u; physiol. 337n; roent. 300h; rupt. 340e; strict. 221p,318-1; surg. 247v,274r, 304q,318m,357-1; tumors 248i,301e,302j; vulvulus 269a,302i
- INTUSSUSCEPTION, 222r

- 284c,285p,
g,314d,314e
- INULIN, 279f
- IODINE AND IODINE COMPOUNDS, 196b,196k,241-1,
344f,352k; eff. 196g,277v; metab. 319a; ther.
271v; tox. 239j,253m
- ION TRANSFER, 249g,252i
- IONIZATION, 246j
- IONS, 353g
- IRIDOCYCLITIS, 288a,289e
- IRIS, tumors 288c
- IRON, admin. & dos. 295n; determ. 246-1; metab.
214b,303c,322s,350g,356c
- ISCHIUM, tuberculosis 233u
- ISOTOPES, 337j
- JAUNDICE, 213p; diag. 224e,302n; hemolytic 281t;
pathol. 325p; ther. 214w
- JAWS, anat. & histol. 311u,311w; cancer 200q;
cysts 200d,312s,334j; fract. 303q,312i,312e;
osteomyelitis 254e; surg. 248t,311m,311n,311r,
312o; tumors 200j,200p,337w,248t,254i,273h
- JOINTS, dis. 225v; roent. 248t; wds. & inj. 335j,
336w
- JURISPRUDENCE MEDICAL, 320i,336n; psychiatry
in 212g,262h,270a,331d,342c
- KAHN TEST, 262a
- KERATITIS, 288p,289a,293s; interstitial 345b
- KERATOCONJUNCTIVITIS, 325m
- KERATOSIS, 202g,213i; follicularis 255o
- KIDNEYS, 239n; abnorm. 194j,291r,304m; abscess
218w; artif. 273r,304-1; blood supply 292s,292v,
360e; calcification 355n,356m; calculi 270a,
327r; cancer 284h; dis. 256e; eff. of drugs on
328r; excis. 293b,302o,311g; innerv. 360e; in-
suff. 213v,272t; perf. 360h; physiol. 292v; roent.
356g,360f; surg. 360g; tuberculosis 359r; tumors
221o,275g,360b,360c; wds. & inj. 212m
- KNEE, dis. 300o,333i,348k; wds. & inj. 302y
- LABOR, 193k,206g,267j; compl. 229-1,260b,260c;
drugs in 221i,247h,264f; forceps in 259w;
hemorrh. 338f,338w; presentation 240a,260a,
261a,349b
- LABORATORIES, 211g; appar. 296t,297n,297o,305e;
technics 258c
- LACQUER AND VARNISH, 201t
- LACRIMAL ORGANS, surg. 345h
- LACTATION, blood in 336-1; physiol. 316d
- LACTONES, 252-1
- LACTOSE, metab. 311g,344f
- LAMBLIASIS, 268w
- LARYNX, anat. & histol. 358r; dis. 211j; diverticu-
la 330o; spasm 214d; tuberculosis 356r; tumors
346i,346q; wds. & inj. 290n
- LEAD, tox. 302r
- LEARNING, 244a,244e,244g,354e,354h,354i,354j,
354n
- LEECHES, 243p
- LEGS, blood supply 231s,308c; innerv. 295v; phys-
iol. 296u; surg. 341f
- LEISHMANIASIS, 213r,227w,262j,276-1,282b,303n;
in inf. & child. 275b; ther. 214h,236a
- LENS, CRYSTALLINE, abnorm. 233h,322h;
absence 345i; extraction 287j
- LEONTIASIS OSSIIUM, 312-1,356n
- LEPROSY, 202n,313b,331r; bacilli 268n; classifica-
tion 254u; diag. 268m; epidemiol. & statist. 313e;
ther. 202c
- LEUKEMIA, 196b,196c,196d,210a; aleukemic 215a;
compl. & seq. 269f,357g; exper. 196d; lymphatic
213s,269e,325n,339d; monocytic 322m; myelo-
genous 196b,330o; pathol. 251o; ther. 219s,231-1,
251k,271w,285b,322e,357e
- LEUKOCYTES, 196b,209r,221v,280b; count 202e,
212o,213h,232r,269s; fragility 280e
- LIBMAN-SACKS DISEASE, 285k
- LIBRARIES, med. 232n
- LICHEN, nitidus 277-1; planus 219f,313j
- LIGHT, 253c,278p,317e,317m; eff. 204r,243u,252v,
274d
- LIGHTING, 277a,316r,316s
- LIPOCHONDRODYSTROPHY, 341k
- LIPOIDS, 222o; determ. 322h; metab. 200p
- LIPS, cancer 326p
- LITERATURE, med. 210v,300c,341k
- LITHIUM, eff. 352v
- LIVER, abscess 213a,303p; cirrhosis 213p,227s,
227t,227v,264a,275n,307g,320c,320r,324g,348h;
dis. 213g,222o,228e,229h,262o,281u,314m,329f,
329g,357d; excis. 353e; extracts 335o; enzymes
252f; fats & lipoids 193f,197p,279g,280i,314t;
function tests 202n,206k,212s,212u,283j,301d,304b,
325q,358d; metab. 310q; necrosis 209q,
213a; pathol. 223g,239e,239r,292t,352w; physiol.
202q,261g,278o,279g,310c,310d,353f; rupt. 292e;
surg. 302m,357-1; tumors 281i
- LIZARDS, 305p
- LOBELIA, 294-1
- LUNGS, 247c,270u; abscess 328-1,359e; blood
supply 322m,325s; cancer 303g,307e,336-1;
collapse 208r; cysts 247j,247r,356q; dis. 200c,
209d,213a,219m,265w,264d,292a,320c,323a,323d,
323m,335v,357p; echinococcosis 247s,301d,358f;
infarction 219w,263r; metab. 310q; necrosis 209q;
physiol. 219m,297w; roent. 246b,359e; surg. 222f,
226o,247h,328h,328m; syphilis 272a; tumors
195j,346v
- LUPUS, 219a,254p,327d,335r; erythematosus 201-1,
313d,313h,324f,327p,349u; ther. 219a,240t,326t
- LYMPH NODES, 193b; dis. 291w,307i,339q; pathol.
290t,290u; tuberculosis 334-1
- LYMPHATIC SYSTEM, tumors 291a
- LYMPHOCYTES, 193h,207o,314-1
- LYMPHOGRANULOMA, VENEREUM, 318h; ther.
326o
- LYSINE, 310c
- MAGNESIUM, eff. 296s; ther. 268a
- MALARIA, 211p,213m,230g,303t; avian 278b,319h;
compl. & seq. 262n; diag. 271a; immun. 261-1,
281j; pathol. 282a; plasmodium 261-1,263b; prev.
303i,319g; ther. 299g,303i
- MALINGERING, 233g
- MANNITOL, 279h
- MARRIAGE, 244e,298h
- MASTOID, 220s,238q; roent. 300f; tumors 238w
- MATERIA MEDICA, 295c
- MATERNITY, welfare 240m,240s
- MAXILLARY SINUS, dis. 215v,290g; surg. 238q
- MEASLES, 332e; compl. & seq. 335s
- MEAT, inspection 208d; preservation 343o
- MEDIASTINUM, roent. 214k; tumors 227k,247j,
327w,357e,357p
- MEDICINE, 220a,322h,325i,339h,339r,355j; hist.
219v,225o,330i,335k,341k; in art & literature
337r; in Asia 303r; in Canada 339r; in Gt. Brit.
268f,277g; in Mexico 330e; in North Africa 254b;
in Switzerland 268r; in U. S. 303e,334g; internal
225-1,277c,335-1; philosophy of 212c; publicity
298r; soc. aspects 217j,245t,266d,329a,331-1;
state 331k
- MELANIN, 289f
- MELIROIDOSIS, 303h
- MEMBRANES, 297d
- MEMORY, 273b,354c
- MENINGES, cancer 239a; hemorrh. 224d,225e,
356m; tuberculosis 225f,233-1,233m,264q,265-1,
265v,275c,281p,285c,292b,292f,292-1,292n,323i,
323h,323k,345d,350e
- MENINGITIS, 212f,232t,285c; diag. 272i; etiol. &
pathogen. 328d; meningococcic 316a; pneumococ-
cic 345u; prev. 303o; ther. 213c
- MENINGOCELE, 247c,329u
- MENINGOENCEPHALITIS, 327-1,348b,348d

- MENOPAUSE, artif. 277j; dis. 320m, 356i
 MENSTRUATION, 255o; disord. 213e, 228n; physiol. 260d
 MENTAL DISEASES, diag. 273b, 342s; epidemiol. & statist. 325m; etiol. & pathogen. 231m, 244v, 320v, 332b; ther. 264o, 285p, 326b
 MENTAL HYGIENE, 235v; clinics 298v
 MENTAL TESTS, 244b, 298i, 342i, 353v
 MERCURY, 242e; tox. 208a, 213n, 237c, 265n, 276o, 333e, 348g
 MESCALINE, 242d
 MESENTERY, infarction 276h, 358n
 MESODERM AND MESODERMAL TISSUES, 202b
 METABOLISM, 210a, 282n, 337v; determ. 258m, 258r, 265f, 281h, 324h; disord. 213p, 226h; endocrines & metab. 310n; in inf. & child. 350b, 350g
 METALS, 199m; eff. 204-l
 METAPLASIA, 315f
 METHACRYLATES, 247w, 254g
 METHADON, 242h, 351e
 METHIONINE, ther. 262o
 METHYLENE BLUE, 202n, 206g
 MICRO-ORGANISMS, 197q, 306i, 306g, 331c, 334r
 MICROSCOPY, electron 216f
 MIGRAINE, ther. 220h, 284i
 MILITARY MEDICINE, 233b, 233g, 233k, 233-l, 244r, 298i, 340k, 340m; training 340n, 340o; venereal dis. 303m; wds. & inj. 303o
 MILK, 237c; bact. 355e; composition 294j; fat 349d; human 291u, 349d; pasteurization & sterilization 237d, 294o
 MIND, 354a
 MINERALS, 204k
 MINES AND MINERS, 329v
 MITES, 216k
 MITRAL VALVE, strict. 219h, 331m, 337c; surg. 265r
 MOLLUSCUM, contagiosum 288w
 MONILIA, 200s
 MONONUCLEOSIS, INFECTIOUS, 231i, 292g; diag. 214r
 MONSTERS, 269a; double 315t
 MORPHINE, 295g; eff. 202e
 MOSQUITOES, 193u, 193v, 193w, 194c, 319h, 319j, 319k, 319-l, 319m
 MOUTH, cancer 270j, 285a; dis. 200i, 312f; hyg. 200b; mucosa 253m; roent. 200o; surg. 200n, 253n, 253r; tumors 230i, 358c
 MOVEMENTS, 259e, 299k
 MOVING PICTURES, 298a, 316n, 316o, 330n, 343j
 MÜLLER'S DUCT, cysts 360o
 MUSCLES, 317p; chem. 234d; contraction 296m; dis. 332h; gracilis 297t; innerv. 322o; pectoral 302q; physiol. 252r, 296h, 297a, 297b, 297d, 297e, 297f, 305r, 311b, 351s, 352b; quadriceps femoris 248n; roent. 356j; sartorius 297d; scalenus 332c
 MUSIC, 315v
 MYANESIN, 326b
 MYASTHENIA, 289g, 352a; gravis 210f, 221e
 MYCETOMA, 225q
 MYCOSES, 206g, 219e, 255e, 275r, 335h; cutaneous 201p, 313m, 327e; fungoides 292i, 339d
 MYELITIS, compl. & seq. 284p
 MYIASIS, 226u
 MYOCARDITIS, 337o; exper. 293t
 MYOPIA, 237p, 287n, 288o, ther. 288f
 MYOSITIS, 328d; ossificans 333h
 MYOTONIA, congenita 313q
 MYXEDEMA, ther. 314e
 NAILS, 266j; dis. 312w
 NASOPHARYNX, tumors 220f, 290h
 NAVAL MEDICINE, 238m, 285k, 290d
 NECK, dis. 266j; fract. 270h
 NEMATODES, 227e, 227g, 250i, 250m, 257n
 NEOANTERGAN, 293i
 NEOSTIGMINE, 352a; eff. 296m
 NEPHRITIS, 262-l, 333-l; compl. & seq. 208s, 283j, 323r, 326g; epidemiol. & statist. 285-l; glomerular 213v, 229i, 282r; pathol. 281a; ther. 265g, 360d
 NERVES, acoustic 220c, 223d; blocking 324t, 351v; cochlear 346c; facial 322p; hypogastric 360i; hypoglossal 322p; optic 237m, 265-l, 280u, 288d; peripheral 215g; physiol. 293a; renal 325h; sciatic 297c; sensory 297i, 297t; splanchnic 302a; ulnar 358q; vagus 203c
 NERVOUS SYSTEM, 203a; anat. & histol. 297s; dis. 196q, 208r, 339o; eff. of drugs on 256r, 350s; pathol. 202v; physiol. 221o, 242m, 279r, 296b, 297h, 332i, 337-l; surg. 260u, 275j, 303b; tumors 328-l; wds. & inj. 236-l
 NERVOUS SYSTEM, SYMPATHETIC, 202i; blocking 255m, 321v; physiol. 295p
 NEURALGIA, 263u; facial 200m, 253k; pudendal 276u; trigeminal 289e
 NEURITIS, compl. & seq. 332h; multiple 227v, 349g; optic 285a, 288k, 323k
 NEURODERMATITIS, ther. 210i
 NEUROFIBROMATOSIS, 237r, 341i; pathol. 280u
 NEUROLOGY, teaching 217c
 NEURONS, 297i, 305p, 337-l, 353p; physiol. 235a, 296-l, 296n, 297c, 297q; tumors 326q
 NEUROSES AND PSYCHONEUROSES, 207d, 233c, 235i, 244c, 286v; anxiety 343-l; crampus 234m; ther. 225p, 284f, 284u
 NEUROPSYCHIATRY, 320p; clinics 207j
 NEUROSYPHILIS, ther. 304t, 326v, 342t
 NEVI, 272h, 313e; surg. 275f
 NICOTINE, 242j, 352o
 NICOTINIC ACID, 197g, 205d, 206j, 309a, 350q; eff. 207m; metab. 252d, 277v, 278f
 NITRATES, 258f
 NITRILES, 351r
 NITRITES AND NITRITE DERIVATIVES, sodium nitrite 202a
 NITRO COMPOUNDS, 294b
 NITROGEN, 199i, 344j; tox. 243f
 NOISE, 244f, 298p, 326b
 NOMENCLATURE, 207q, 216t, 258a
 NOSE, abnorm. 345r; cancer 285a; deform. 248r; dis. 224m; hemorrh. 239b; pathol. 248p; surg. 228o, 277g; tumors 251h
 NUCLEINS, 202g, 204h, 251o, 305k, 310i, 314t, 327p
 NUCLEOPROTEINS, 305o
 NURSES AND NURSING, 207i, 206i, 342w, 343a, 343f, 343j, 355g; military & naval 340m, 340o; psychiatric 340n
 NUTRITION, 217t, 274d, 276a, 327k, 333r; disord. 313r, 321h, 329f; exper. studies 237h; in Gt. Brit. 220e
 OATS, 203u
 OBESITY, 323g; ther. 223p, 276e, 335m
 OBSTETRICS, 206k, 206-l, 318i
 OIL, 237g, 241c
 OINTMENTS, 202m, 313r, 349d
 OLD AGE, 283p, 316k, 332i; dis. 316e; econ. & soc. aspects 316e, 316f, 316g; pathol. 300h; surg. in 224n, 270h, 331t, 357u
 OLIVE OIL, 210e, 237e, 237f
 OMENTUM, dis. 211o; infarction 248g, 358h; torsion 214i
 OPHTHALMIA, sympathetic 238d, 288j
 OPHTHALMOLOGY, 290b, 345c; appar. 237u, 237v, 243u, 345g
 OPTICS, 238n, 296g
 ORANGES, 259b
 ORBIT, surg. 288n, 344v, 345f; tumors 287h, 288n
 ORTHOPEDICS, 215t, 349a; appar. 334d; hist. 341-l
 OSMOSIS AND PERMEABILITY, 208q, 296b
 OSSIFICATION, 247n

- 208s,283j;
glomeru-
r. 265g.
- 24t,351v;
ric 360i;
290u,288d;
325h;
nchnic
- l. 297s;
256r,350s;
r,296b,
tumors
- 02t; block-
- oudendal
- e 227v,349g;
- ol. 280u
- ol. 235a,
- 07d,233c,
pus 234m;
- 350q; eff.
- ES, sodium
- form. 248r;
48p; surg.
- 14t,327p
- w,343a,343f,
40c; psychla-
- disord. 313r,
St. Brit. 220e
- 358h; tor-
- 237u,237v,
- 287h,288a
d; hist.
- 296b
- OSTEITIS, deformans 308a,341i
OSTEOARTHRITIS, 265i,266w
OSTEOCHONDRITIS, deformans juvenilis 214-1,
355u
OSTEOMALACIA, 213o,358w
OSTEOMYELITIS, 225s,247i; compl. & seq. 291v;
in inf. & child. 348o
OSTEOSCLEROSIS, fragilis 356q
OTTIS MEDIA, 285a,290g; in inf. & child. 340i;
ther. 220s
OTORHINOLARYNGOLOGY, 281q,290b,290m,290q,
346g; surg. in 210b; pub. health 345w; pathol.
290f; ther. 274-1,289t,290p,332f,346b,346c
OUTPATIENT DEPARTMENT, 285q
OVARY, cancer 260v; cysts 327o; excis. 353a; hor-
mones 279j,339p; insuff. 222k; physiol. 322q;
rupt. 222q,260j; tumors 231i,248k,260g,330h,
346m
OVULATION, 230b
OVUM, 194-1,305d
OXALATES, 200t
OXIDASE AND PEROXIDASE, 198p,252h,310s,310t
OXYGEN, 343s; consumption 296f,353c; defic.
242a
OXYURIASIS, 226d,332d,335t
PAIN, 220m,270m; etiol. & pathogen. 254-1; re-
ferred 260q; ther. 357j
PALATE, 194q; cleft 248w,337k,358k
PANCREAS, abscess 232b; anat. & histol. 353m;
cancer 194s,300w,302m,307j; cysts 215a; dis.
320c,323r,324q; islands of Langerhans 281m;
physiol. 284v,309w,314p; prep. 211g; secretion
353b; surg. 248i,358h; tumors 307c
PANCREATITIS, 262v; blood in 228k; etiol. & pa-
thogen. 302a
PAPAVERINE, 256g; eff. 351j; ther. 276-1
PARACELSIUS, 276a
PARALYSIS, bulbar 264-1; cerebral 205o,232e,
240e; facial 272v,273a,273g,330f,358j; general
304t; in inf. & child. 240q; oculomotor 289q,
326-1; spastic 225g,342g; spinal 276r
PARASITES, 216n,250e,250j,250-1,250o,331w,352o
PARATHYROID, dis. 223o; insuff. 213e,265b
PARATHYROIDECTOMY, 202j,283g
PARATYPHOID, 285h,325o; compl. & seq. 281u,
348h
PARKINSONISM, 232i,333s
PARONYCHIA, 273i
PAROTID GLAND, tumors 247t
PAROTITIS, 331e; compl. & seq. 325v
PARPANIT, 241k,351b,351w
PATIENTS, 343g
PECTIN, eff. 210m
PEDIATRICS, 220b,236n,240b,264w,335b,349d
PEDICULI, 245i
PELLAGRA, 201m,336g; ther. 239r
PELLETIERINE, 198v
PELVIS, blood supply 231s; measurement 224c,335q
surg. 218n,324k,324u,357i; tumors 357i
PEMPHIGUS, 219c,277-1,359-1; ther. 304v,313f
PENICILLIN, 210m,238d,241j,241s,278e,310c; ad-
m. & dos. 229w,255i,273i,288m,320f,326s,327-1,
333o,345v,359n; antagonists 294k,306r; eff. 270o,
306r,309q,334n,337b,350b; prep. 351g; ther. 201w,
202g,212c,215v,218b,220e,226n,233n,242k,249f,2
255h,262j,262-1,265h,271e,274b,278a,285b,292k,
313a,313k,313o,314c,321i,323i,323s,326-1,326v,
328d,329-1,335v,348b,359e; tox. 255-1,275e,283m
PENIS, 277o
PENTOSE, 252c
PEPTIC ULCER, 203d,225a,228d,248-1,271i,274n,
359m; cancer & peptic ulcer 231k; diag. 246n,
314q; etiol. & pathogen. 202i,214n,333m; exper.
278f,353d; hemorrh. from 222-1,274f,333k; in inf.
& child. 348-1,348t; pathol. 336k; perf. 210k,321i;
surg. ther. 203c,314r,333p,335f; ther. 209f,223m,
274s,320j,338a
PEPTIDASE, 202h,243-1,243m
PEPTIDES, 309r,310d
PERCEPTION, 354n,354r
PERIARTERITIS, nodosa 292f
PERIARTHRITIS, 341n,341v
PERICARDITIS, 211c,334i; etiol. & pathogen. 348-1
PERICARDIUM, calcification 335q; tuberculosis
268t
PERINEPHRITIS, 218w
PERINEUM, lacerations 338g
PERIODICALS, 205-1,226s
PERIODONTITIS, 200-1,312p
PERIPHELEBITIS, 288r
PERITONEUM, 224u; surg. 270s
PERITONITIS, 218u; exper. 209t; pneumococcic
270i; ther. 262s
PEROXIDES, 252h
PERSONALITY, 236b,236c,290g; dissociated 342-1;
tests 236b,236d,249r,272k,318c,342-1
PETROLATUM, liquid 237f
PHAGOCYTES AND PHAGOCYTOSES, 254d,339s
PHARMACOPEIA, Brit. 241p,313r; German 294w
PHARMACY, 242q,242n,242v,295h,350j,350k,352e
PHARYNX, cancer 216v,221u; dis. 211j; diverticula
358r; tuberculosis 223d
PHENYLALANINE, 256o
PHENYLHYDRAZINE, 241c
PHENYLMETHANE, 347k
PHENYLPROPYLAMINES, 241h
PHILOSOPHY, 225c,300b
PHLEBITIS, 240o,280r; caval 248h; compl. & seq.
280r,339k; ther. 358i
PHOBIA, 235p
PHOSPHATASE, 197m,204-1,237c,237d,279t,305j
PHOSPHORUS AND PHOSPHORUS COMPOUNDS,
203p,252q,292r,293m,300q; eff. 201v; metab.
297n,343i; tox. 208a
PHOTOGRAPHY, 246s,258e,258i; appar. 243i,258j,
258m
PHOTOMETRY, 243i
PHYSICAL EDUCATION, 245w
PHYSICAL EFFICIENCY, 299i
PHYSICAL EXAMINATION, 244s
PHYSICAL MEDICINE, 240c
PHYSICIANS, 217i,220n,303v
PHYSICS, 217b,258u,317p
PHYSIOLOGY, hist. 330c
PICROTOXIN, ther. 213k
PIGMENTATION, cutaneous 305p
PINEAL GLAND, tumors 195e
PIPERIDINE AND PIPERIDINE COMPOUNDS, 241h,
293g
PITUITARY BODY, blood supply 296r; dis. 265u,
268f,273p,287q,348t; excis. 223-1,315b; physiol.
235s; secretion 296p,297g; tumors 322j
PITUITARY PREPARATIONS, eff. 223r; ther. 268f
PLACENTA, adherent 302p; praevia 260a; prema-
ture separation 260a; prep. 288o
PLAGUE, 303n
PLANKTON, 257o
PLANTS, 251v,256k,257k,295b,295c; medicinal
352-1,352p; physiol. 310r,310s
PLEURA, calcification 304a; echinococcosis 248c,
301a; hemorrh. 218i; tuberculosis 208r,262k,
302i,349f
PLEURISY, diag. 285q; serofibrinous 210a; with
effusion 285q
PLUTONIUM, 239o
PNEUMOCOCCIOSIS, 212i,232-1,287n,278v,279n;
etiol. & pathogen. 275s
PNEUMONIA, 222i,286i,319r; compl. & seq. 233n;
etiol. & pathogen. 264a; in inf. & child. 349n;
ther. 242k

- PNEUMOPERICARDIUM**, 240a
PNEUMOPERTONEUM, 218k, 335u, 357d
PNEUMOTHORAX, 324v, 359t; diag. 285q; roent. 304f; ther. 215p
PNEUMOTHORAX, ARTIFICIAL, 209a, 359v; compl. & seq. 247g, 333o
POKILODERMA, atrophicans vasculare 219d, 255n, 333u
POISONS AND POISONING, 242a, 257o, 284b, 284c; metallic 208a; ther. 208a, 348s
POLIOMYELITIS, 243c; bulbar 343a; compl. & seq. 283a; diag. 272i, 291v, 319r; epidemiol. & statist. 270r, 273e, 299g, 303b; etiol. & pathogen. 290k, 291c, 312e; in inf. & child. 291j; ther. 275h, 302w
POLITICS, 298-l
POLLEN, 249t
POLYCYTHEMIA, 271t, 331n
POLYMYXIN, 329q
POPULATION, 257c, 257i, 355b
PORPHYRA, 311f
PORPHYRIN AND PORPHYRIN COMPOUNDS, metab. 311f, 320a
PORK, 210a
PORTAL VEIN, blood pressure in 221e, 308r; portal circulation 295m
POSTURE, 296o; defects 291q
POTASSIUM, 197m, 198k, 251s, 352k; metab. 254p, 275u; ther. 249q
POTATOES, 268e
PREGNANCY, 206j, 206m, 223m; blood in 279c, 279u, 296f, 303c, 333q; cancer and pregnancy 266k, 274i; compl. 214f, 218e, 229o, 259q, 261c, 270b, 308-l, 335s; diag. 204q, 214j, 259r, 260q, 284v; diet in 259s; ectopic 273q, 331a, 347u; heart in 221i, 261a; hygiene 259r; metab. in 214b; physiol. 194f, 217o, 223s; roent. 260t, 355v; teeth in 201a; tumors complicating 338w; urine in 334g
PRESCRIPTIONS AND PRESCRIBING, 200g
PRESDION, 214d
PRESSURE, 297m
PRISONS AND PRISONERS, 315n
PROCAINE AND PROCAINE COMPOUNDS, 218h, 262v, 293q; admin. & dos. 321v; eff. 231f
PROCTOLOGY, 336e
PROLINE, 199a
PROSTATE, cancer 195e, 251j, 332b; hypertrophy 210-l, 222f; inflamm. 216a; surg. 334s, 339m, 359i; tumors 231h
PROSTATECTOMY, retropubic 210-l; technic 271o, 330g
PROSTITUTION, 201p, 202e, 324e, 324j
PROTAMINE, 278u
PROTEINS, 204f, 225i, 230c, 239e, 256c, 280g; in diet 252f, 344h, 344-l; metab. 229m, 309k
PROTHROMBIN, 337u
PRURITUS, 268a; anal 323c, 325j; ther. 276-l, 313w; vulvar 202q, 327g
PSEUDOXANTHOMA, elasticum 219d
PSITTICOSIS, 227i; virus 278d
PSORIASIS, 226a, 341p, 341w
PSYCHIATRY, 220g, 229k, 234n, 234p, 235b, 235i, 235k, 236j, 277q, 282m, 299v, 315q, 338q, 342d; societies 236e
PSYCHOANALYSIS, 212g, 233c, 235o, 235p, 262h, 277r, 331d, 331p, 342h
PSYCHOLOGY, 244m, 244n, 259e, 274t; exper. 354g, 354m, 354o, 354q, 354r; social 298e, 298f, 298j, 298k, 298-l
PSYCHOTHERAPY, 234-l, 234o, 271p, 315v, 320j, 342g, 342s
PUBERTY, 257m, 350a
PUBLIC HEALTH, 217f, 355a; admin. & org. 245m, 299s; in Australia 329k; in Czechoslovakia 245p; in Italy 207w; in Poland 245a, 299p, 299q, 299r, 299t; in Roumania 300c; in Russia 300a; in Scot-land 294s; in Switzerland 312d; in U. S. 217u; officers 355c
PUERPERAL INFECTION, 260c
PUERPERIUM, compl. 206o; hemorrh. 338f
PULMONARY VALVE, strict. 196w, 211b
PULSE, examination & recording 311j
PURINE AND PURINE BASES, 310i, 311e
PURPURA, 267e; annularis telangiectodes 326i; hemorrhagica 232h, 239j
PYELOGRAPHY, 212m
PYELONEPHRITIS, 224a
PYLORUS, hypertrophy and stenosis 264t, 347v, 347w, 348a, 349m
PYRETHRUM, 194b
PYRIBENZAMINE, 240g
PYRIMIDINES, 311e, 353f
PYROGENS, 223r, 352h, 360d
PYRROLES, 293g
QUACKERY, 343h
QUINIDINE, 293g; ther. 262n; tox. 254s
QUINOLINE AND QUINOLINE DERIVATIVES, 197c
QUINONES, 197q
RABIES, immun. & vaccine ther. 280d
RACES, 278q, 325m
RADIATIONS, 204i, 221m, 246c, 252t; eff. 195g, 243j, 246j, 246v, 256b, 312f, 356c; inj. eff. 226-l, 280f, 311j, 356b
RADIO, 268n
RADIOACTIVITY, 197w, 221-l, 242h, 246-l, 257k, 257w, 258c, 258-l, 258p, 269e, 279i, 280c, 294r, 295s, 296d, 307m, 309-l, 309m, 316-l, 317d, 317k, 318a, 322g, 322r, 322s, 339m, 353j; ther. 317w
RADIOLOGY, 246u, 357c
RADIOTHERAPY, 256d, 325w
RADIUM, 307t; eff. 239o; inj. eff. 316u; ther. 239t, 356i, 356j
RADIUS, fract. 357r
RADON, ther. 307e
RATS, extermination 245e
RAUWOLFIA, 256t
READING, 238n, 298c
RECKLINGHAUSEN'S DISEASE, 201h
RECORDS, med. 216v
RECTUM, abnorm. 224j, 357w; cancer 251g, 266k, 270f, 301q, 307f; dis. 291b; infect. 273n
RED CROSS, 295c, 299t
REFLEX, myenteric 353t; pharyngeal 200c; pupillary 252v; spinal 351a, 351s; sympathetic 279s
REFRIGERATION, 340-l
REHABILITATION, 283a, 324b
REITER'S DISEASE, 285n, 323b
RESEARCH, med. 211q, 217e, 232b
RESINS, 212v
RESORCINOL AND RESORCINOL DERIVATIVES, 197a
RESPIRATION, 250t, 297v, 353-l, 353o; artif. 205-l; disord. 226h, 291n; hyperpnea 243c, 243d, 281h; physiol. 243d, 247i, 296v
RESPIRATORY TRACT, dis. 220r, 233q, 244v, 249d, 249t, 264u, 324q, 332p, 346e-l
RESUSCITATION, 266w, 336q
RETICULOENDOTHELIAL SYSTEM, dis. 265s, 271u, 271u; tumors 226k
RETINA, 288r; blood supply 237m, 267o, 288e, 345-l; detached 272c, 288e; dis. 237s; hemorrh. 288r; physiol. 295q, 295r; tumors 347f
RETINITIS, pigmentosa 288o
Rh FACTOR, 205m, 207q, 257p, 260c, 275-l, 278b, 278g, 333q
RHEUMATIC FEVER, 271d; cardiac compl. 224h, 272r, 331m; compl. & seq. 227t, 341t; diag. 221j, 277p; epidemiol. & statistics 271d, 324i; etiol. & pathogen. 324i, 330v; in inf. & child. 208m; prev. 271f
RHEUMATISM, 214s, 226a, 234f, 263i, 341w; diag.

- 234i,266h; ther. 225w
 RHINITIS, 336f; atrophic 207m,337f; diag. 249-l;
 etiol. & pathogen. 345r; vasomotor 226v
 RHINOSCLEROMA, 290o
 RIBOFLAVIN, 203u,278c,280o,337m,343r; metab.
 344p
 RIBS, tumors 200p
 RICKETS, 349v
 RICKETTSIA, 218q
 RICKETTSIAL DISEASES, 291c,328n; ther. 261m
 RINGWORM, ther. 207f,340q
 ROENTGEN RAYS, 204h,246r; appar. 246k,246r,
 258m,258n,299e,314a,356v,359s,360g; diag. 356u;
 eff. 198d; films 258p; fluoroscopy 263-l,300j;
 inj. eff. 293d,356u; technic 300m,357a,
 ROENTGENOTHERAPY, 238t,251h,357f; dosage
 300i
 SACCHARIDES, 252i,252j
 SACROCOCCYGEAL REGION, dis. 358v; tumors
 269-l
 SAFRANINE, 305o
 SALICYL COMPOUNDS, 352j; aminosalicylic acid
 198m; ther. 324m
 SALIVA, 289b
 SALIVARY GLANDS, 243-l,243m,254d
 SALMONELLA, infect. 229a; Panama 299b
 SARCOIDOSIS, 332g; etiol. & pathogen. 201f; ther.
 327b
 SARCOMA, exper. 251q,279o; fibrosarcoma 228i;
 in inf. & child. 254i; lymphosarcoma 254i,279o,
 340g; myosarcoma 215h; myxosarcoma 356p;
 osteosarcoma 251h,274e; plasmosarcoma 233i;
 reticulosarcoma 226p,313m; ther. 195t
 SCABIES, 254e,313i,313o
 SCALP, surg. 248u
 SCAPULA, abnorm. 358a
 SCARLET FEVER, compl. & seq. 348-l
 SCHISTOSOMA, 267g
 SCHISTOSOMIASIS, 210n,227q
 SCHIZOPHRENIA, 216d,234o,235t,342r,343a
 SCHOOLS, 240k; hygiene & sanitation 292h; med.
 ser. 263-l,355g; special schools & classes 240d,
 240e
 SCHOOLS, MEDICAL 217d,217e
 SCHÜLLER-CHRISTIAN SYNDROME, 339s
 SCIATICA, 225u; etiol. & pathogen. 341r; ther.
 301a
 SCIENCE, 205-l,241e,258c,300c,317s; in U.S.S.R.
 317r
 SCLERA, blue 287-l,334p; dis. 238b,287n
 SCLERODEMA ADULTORIUM, 202b
 SCLERODERMA, 202b; ther. 202j
 SCLEROSIS, 291f; multiple 232o,329n; tubercous
 289a
 SCOPOLOAMINE, eff. 351a
 SCURVY, 291q
 SEBACEOUS GLANDS, 193g; cysts 273j; tumors
 201h
 SEBORRHEA, 327g
 SEMINAL VESICLES, dis. 222c
 SENSATION, 282n
 SEPTICEMIA, 190q,229a
 SERUM, 210b,278d,281f,291e,297r
 SEWAGE, disposal and purification 298p
 SEX, 216h; determ. 218t,261b; frigidity 260h; per-
 version 235m,328u,339s
 SHELLFISH, 227p
 SHOCK, exper. 353j; surg. 301m; ther. 209k,301f,
 347h
 SHOULDER, dis. 266i; disloc. 234a,234c
 SHWARTZMAN PHENOMENON, 225n
 SIGMOID, abnorm. 224j; cancer 251g,307f; strict.
 301r; surg. 229c
 SILVER, 280o; tox. 219b
 SINUSES, PARANASAL, cysts 345t
 SINUSITIS, 249j,355w
 SKIN, 202q,233g,246c,255u,274d; abnorm. 254v;
 anat. & histol. 305p; atrophy 274b,326j,335v; can-
 cer 202f,202j,265i; chem. 264r; dis. 201q,201s,
 201t,202d,202m,224p,227j,254r,254w,269q,304v,
 313r,314d,325b,326j,326g,329v,333d,334m,337q,
 350k; innerv. 254o,295v,326g; physiol. 202p,254o,
 254v,296w; reactions 201t,202a,230a; transpl.
 248u,302f,324p,341f; tuberculosis & tuberculids
 255b,255g,255i,271h,313g,327h; tumors 219b,
 254w,313m
 SLEEP, 270d,284a,284d,286i
 SMALLPOX, diag. 221r; vaccination 255b,313k
 SMELL, 234t
 SNAILS, parasites 204o
 SNAKES, 305p
 SNEEZING, 235w
 SOAPS, 223j
 SOCIAL SECURITY, 231n
 SOCIAL SERVICE, 315n
 SOCIOLOGY, 235n,317p
 SODIUM, chloride 199f,223p,237j,308b; metab.
 296v
 SOIL, bact. 308q
 SOLVENTS, 257v
 SOUNDS, 282o,284n,330p; perception 354f
 SOYBEANS, 344f
 SPACE, perception 287c
 SPARTEINE, 272b
 SPASM, 235c,351r; ther. 223a
 SPASMOPHILIA, 256s
 SPECTRUM ANALYSIS, 252b,252n,253a,253d,258b,
 279d,317i
 SPEECH, 354f; defects 200-l
 SPERMATOZOEA, 205f,304r,305d,305j,352v,360q
 SPHENOID BONE, surg. 289s
 SPHINCTER MUSCLES, anal 270f
 SPINA BIFIDA, 263a,334a,336w
 SPINAL CORD, compression 235h; dis. 235f; em-
 bryol. 234a,305s; hemorrh. 289d; physiol. 322o;
 tumors 272d
 SPINE, abnorm. 246m,341u; anat. & histol. 204b;
 ankylosis 234h,247o; arthritis 234h,286c,335p,
 341q; curvature 215u,235h,340w; dis. 229h,285f;
 disloc. 235f; embryol. 194g; fract. 235f; inter-
 vertebral disks 226e,266g,324f,356h,358i,358m;
 roent. 266g,275o; syphilis 284p; tuberculosis
 218m,230q,262o,359u; tumors 331e; wda. & inj.
 215s
 SPIROCHAETA, 318b,349p
 SPIROCHETOSIS, icterohemorrhagic 231m
 SPILANTHOPTOSIS, 266p
 SPLEEN, 280f; cysts 346g; dis. 357d; hemorrh.
 321i; pathol. 251o; physiol. 223m; rupt. 223v;
 tumors 301p
 SPLENECTOMY, 248a,320e,321e
 SPLENOMEGALY, 212o,349m; ther. 248a,320b
 SPLINTS, 248u
 SPOROTRICHOSIS, 320e,327u
 SPRUE, blood in 318o; compl. & seq. 273u; etiol. &
 pathogen. 273u
 STAINS AND STAINING, 291g,305f,315g; vital 256p
 STAPHYLOCOCCI, albus 306r; aureus 309q,347-l;
 infect. 245k,328-l,337h
 STARCH, 311e,343p
 STATISTICS, 257d,257e,257g,257h
 STERILITY, 220k,260-l; etiol. 260n,263g; ther.
 218a,260m,263e
 STERNUM, absens 272e; abnorm. 246p
 STEROIDS, 198r,223t,315g
 STIMULATION AND STIMULI, 244i,297o
 STOMACH, acidity 211w; achylia 339w; bact. 225a;
 cancer 211j,222t,225a,261h,262e,264q,301j,332-l,

- 340g, 358t; cardiospasm 321-1, 322f, 328n, us.
 209b, 209q, 285d, 326b, 335b; inflamm. 225a; innerv.
 203d, 234q; mucosa 234q, 239r; pain 212v; perf.
 222u, 282c, 301g; physiol. 232s; secretion 256n,
 293-1, 296a, 296b, 331e; surg. 219j, 231k, 301n, 302c,
 329d, 346a, 348r, 359m; tumors 195c, 212-1; wds. &
 inj. 211-1
- STOMATITIS**, ther. 313j
- STRABISMUS**, ther. 247p
- STREPTOCOCCI**, 278m; strains 278h
- STREPTOMYCIN**, 202c, 207p, 208r, 209a, 230r, 231u,
 291s, 329q; admin. & dos. 334h; eff. 204k, 206n,
 282c, 323i, 338m, 355q; ther. 206c, 209b, 223d, 225g,
 226t, 229a, 230k, 230-1, 230m, 230n, 230o, 230p, 230q,
 230r, 230s, 231b, 231v, 233-1, 233m, 240u, 240v, 261r,
 264q, 265-1, 265v, 268n, 269s, 270k, 275c, 280n, 281p,
 285c, 288u, 2911, 292n, 313g, 313h, 321i, 322v, 323a,
 323b, 323h, 323k, 323-1, 323s, 325c, 329-1, 337f, 340p,
 345c, 356k; tox. 213h, 213j, 215-1, 231v, 339f, 351c
- STRONTIUM**, determ. 198v; eff. 196i
- STROPHANTHUS AND STROPHANTHUS PREPARA-
 TIONS**, 221a; metab. 351j; tox. 352b
- STRYCHNINE**, ther. 208v
- SUBMAXILLARY GLAND**, tumors 247t
- SUGARS**, 306p, 343s, 343t
- SUICIDE**, 211g, 284b, 284c
- SULFHYDRAL COMPOUNDS**, 251u
- SULFONAMIDES**, 241i; admin. & dos. 327-1; eff.
 278-1, 296e, 330s; ther. 210a, 233n, 254u, 264b, 265h,
 271b, 314c, 328d, 360r; tox. 215-1, 237p
- SULFUR**, 199c; determ. 197k; metab. 290b
- SULPHIDES**, ther. 208a
- SURFACE TENSION**, 2971, 297r
- SURGERY**, 220a, 229m, 247m, 271m, 272k, 277d, 335b,
 339r, 340g, 349c, 349d; hist. 320w; plastic 321m,
 324p; postop. compl. 199v, 302d, 328b; preop. care
 242i; teaching 245s, 319e
- SUTURES**, 253r
- SWEAT**, 347s
- SWEAT GLANDS**, dis. 233f
- SYMPATHECTOMY**, 263v, 268c, 270q, 297k, 301t, 301v,
 328k
- SYMPHYSE PUBIS**, surg. 260b; surg. 260c
- SYNCOPE**, 319e
- SYNOVIAL MEMBRANE**, inflamm. 209h
- SYPHILIS**, 201v; congen. 2291, 240r, 292k, 292m, 340h,
 345b; epidemiol. & statist. 274v, 286f; in inf. &
 child. 240s; pregn. & syphilis 212b, 259f; prev. &
 control 327c; reinfect. 313c; serodiag. 202k,
 209c, 218s, 261v, 262a, 262b, 262c, 262d, 314k, 327c,
 332p; tertiary 272c, 326-1; ther. 201w, 202n, 226f,
 255h, 260m, 303-1, 303m, 313a, 313c, 313k, 313o, 321d,
 323i, 327b
- SYRINGOMYELIA**, 289d
- TABLETS**, 352m
- TAPEWORM INFECTION**, ther. 217n
- TASTE**, 204n
- TATTOOING**, 263d
- TEETH**, abnorm. 312h, 312k; absence 347s; api-
 coectomy 200d; caries 200t, 253g, 253j, 312c, 312e,
 312r; development 199r, 200r, 215q, 254i; dis.
 253o, 254j, 270k; extraction 200d, 253-1, 270j; fill-
 ings 199w, 201c, 312b; occlusion 253p, 254a, 312h;
 prosth. 199p, 199t, 200c, 200v, 201b, 253o, 253s, 253t,
 254c, 311t, 312f, 312h, 312k; pulp 200t; pulpless
 200s
- TELANGIECTASIS**, 254t, 255m, 265j
- TELEVISION**, 319e, 337o
- TEMPERAMENT**, 330t
- TEMPERATURE**, eff. 205h, 277v, 278p, 279p
- TEMPERATURE, BODY**, 230b, 286k
- TEMPORAL BONE**, anat. & histol. 346i; dis. 238s,
 239b
- TESTES**, 352v; pain 328r; physiol. 295s; surg.
 334s; tumors 195m, 195n, 195o, 195p, 211n, 360m;
 undescended 207s, 283h
- TETANUS**, etiol. & pathogen. 276w; neonatorum
 328e; prev. 276a
- TETANY**, 213e, 275v, 284s; etiol. & pathogen. 328j;
 in inf. & child. 333j; parathyroid 275v
- THALLIUM**, tox. 334q
- THEOPHYLLINE**, 241s
- THERAPEUTICS**, 214r, 229p, 271r, 328o; dental 253k,
 312-1; hist. 294u
- THIAMINE HYDROCHLORIDE**, 203u, 337m, 344o, 344r;
 eff. 257q; ther. 280m
- THIGH**, tumors 357t
- THIOCYANATES**, 293m
- THIOSULPHATES**, metab. 297k
- THIOUREA**, 204n, 279-1, 315e; eff. 296e; ther. 278o
- THORAX**, dis. 221r, 323j; for. body 334w; roent.
 271i, 304h, 329w, 336e; surg. 214n, 269t, 336t, 340p;
 tumors 231f, 248d, 300v, 307r, 358-1; wds. & inj.
 218j, 221f, 266p
- THROMBIN**, 256-1, 278e
- THROMBOANGITIS**, 324d; obliterans 267m
- THROMBOPHLEBITIS**, 230w, 285o; caval 328a; por-
 tal 328a
- THROMBOSIS**, 231s, 322j; aortic 264p; carotid 265q;
 cerebral 301t, 301w, 348e; coronary 231q; etiol. &
 pathogen. 330b; femoral 328b; pulmonary 263r;
 renal 323q; sinus 222b; splenic 232n; ther. 321a
- THYMINE**, 197-1
- THYMUS**, 340a; cancer 280w; physiol. 314t
- THYROID**, 204n, 233u, 277v; anat. & histol. 276p;
 cancer 196k, 357u; dis. 220v, 235r, 265f, 317w;
 embryol. 314w, 315a; excis. 278o; hyperthyroid-
 ism 219k, 236v, 262r, 270p, 276p, 279i, 293b, 338j, 338k,
 338-1; hypothyroidism 335m; pathol. 196g, 317w;
 physiol. 270c, 310n, 315e, 315j, 353d, 353j; surg.
 302m, 306b; ther. 260k; tuberculosis 220v; tumors
 196h
- THYROXIN**, 315a; eff. 256q
- TIBIA**, fract. 231d
- TICKS**, 250n, 250e
- TIME**, 316m, 354g
- TISSUE**, 337p; chem. 197h, 197o, 198c, 203p, 305j; con-
 nective 195g; culture 193g; respiration 296j, 353m;
 sections 257v, 305e
- TOBACCO**, 262p, 294v, 295p, 322o, 333h
- TOLUENE**, 197e
- TONES**, perception 243v
- TONGUE**, abnorm. 205w; cancer 251f; dis. 219a,
 312r, 318o
- TONSILS**, 233j, 249i; infections 341o; inflamm. 359i;
 pathol. 346h; tuberculosis 229v
- TONSILLECTOMY**, compl. & seq. 290k; tech. 273c
- TOOTHBRUSH**, 312q
- TORULA**, 327-1
- TOXEMIA**, compl. & seq. 326f
- TOXOPLASMOSES**, 270n, 287p, 333t, 334o, 348c, 348j
- TRACHEA**, rupt. 290n; strict. 239g; tumors 346e
- TRACHOMA**, ther. 287-1
- TRAUMA**, 229-1, 233u, 341k
- TREMATODES**, 250e, 250f, 257-1
- TRICHOMONIASIS**, 206g; vaginal 206p
- TRIDIONE**, 272p
- TROPICAL MEDICINE**, 267e, 349h
- TROPICS**, 340-1, 349q
- TRYPANOSOMA**, 195v, 204j
- TRYPANOSOMIASIS**, 231a; diag. 268-1
- TRYPSIN**, 197q, 198j, 294u, 310a
- TRYPTOPHAN**, 203n, 277v, 278f, 310m; metab. 344-1
- TSETSE FLY**, 193v, 194b, 316p
- TSUTSUGAMUSHI DISEASE**, 216j; epidemiol. &
 statist. 216p; transm. 216-1
- TUBERCLE BACILLI**, 213f, 228v, 277t, 291s, 323t,
 338m; chem. 280c, 322v; culture 268n, 274m, 278e,
 314j, 355q; metab. 252e, 278c; virulence 261r

TUBERCULIN, 263o; eff. 268m

TUBERCULOSIS, 2011, 210t, 213f, 229t, 275s, 304c, 327f; Calmette-Guérin immun. 285i, 304s, 339v, 349b; compl. & seq. 214o, 262k, 323g; diag. 209o, 324f; epidem. & statist. 263k; etiol. & pathogen. 348i; exper. 249f, 275i; immun. 212h; in animals 264p; in inf. & child. 275c, 291w, 323h; legislation 282j; mental aspects 281m; military 240u, 345d; mortal. 299d; osteoarthritis 230k, 230-1, 230m, 230n, 230o, 233u, 267m; prev. & control 225m, 263i, 320s, 335i; preventorium 282g; progn. 322c; reinfect. 211s; sanatoriums 299d, 304h; ther. 230q, 230r, 231b, 231v, 233t, 249e, 270a, 270k, 280n, 293s, 304d, 322c, 322v; tuberculin reactions 291t, 347g

TUBERCULOSIS, PULMONARY, 247f, 335v; allergy in 247i; compl. & seq. 288t, 304i; diag. 265q; etiol. & pathogen. 340b; pathol. 274o, 304e; surg. ther. 359t; ther. 209b, 211j, 213j, 282c, 322w, 325c, 334h, 343m

TULAREMIA, 306h

TUMORS, 300i; adamantinoma 200k; adenoma 201h, 211n, 226o, 231h, 346v; angioma 238w, 272d, 275g, 281i, 313c, 331e, 346e, 347r, 347i, 356g; angioneuroma 247j, 251i; chondroma 195e; cylindroma 219f; diag. 262u, 360h; embryoma 327w; endothelioma 275h; etiol. & pathogen. 195h, 291a; exper. 197v, 195w, 196f, 237b, 251m, 256c, 276t, 307m, 307o, 346m; fibroma 231f, 338w; giant cell 200j, 248t, 341g; glioma 195j, 287h; hamartoma 221o; in animals 251m, 307-1; in inf. & child. 239w, 269-1, 302d, 346e; lipoma 200j; lymphoma 322e; melanoma 219c; metastases 195j, 219c, 307c, 309e, 360m; mixed 247t; mucocoelepidermoid 239p; myeloma 223i, 341g, 341h, 341i; myoma 201r, 346i, 346n; neurinoma 288s; neuroblastoma 272i; neurofibroma 237r; osteoma 247w; pheochromocytoma 226o, 251i; plasmoma 232s, 273h; polyp 212-1; seminoma 248k; spongiblastoma 322f; teratoma 195n, 269-1; ther. 195f, 195h, 196e, 262u, 281v, 337t

TWINS, 347u; uniovular 274n, 347v

TYPHOID, compl. & seq. 208s, 287p, 270b, 281u, 331g; epidem. & statist. 267f; in inf. & child. 215o; prev. 266t; ther. 233e

TYPHUS, 285h; epidemiol. & statist. 216m, 268k; hist. 303d

TYROSINE AND TYROSINE COMPOUNDS, 292t

TYROTHRIN, 201p, 227n

ULCERS, 208n, 226f; etiol. & pathogen. 320b, 326j, 326w; tropical 268r

ULTRAVIOLET RAYS, 257j; eff. 256s, 317e, 343o

UMBILICAL CORD, 260t

UNDULANT FEVER, 228-1; compl. & seq. 249k; exper. 261s, 264b, 264c

UNIVERSITIES, health service 329a

URANIUM, nitrate 241v; tox. 352c

UREA, 197e, 256f

UREASE, 258w

UREMIA, 336b; ther. 231o, 231p, 231q

URETERS, abdom. 194j, 215h, 239u, 246e; strict. 321j; surg. 320-1; tumors 339n

URETHANE, 251k, 293h; eff. 196b, 196c, 232u; ther. 196d, 251j, 285b, 295a

URETHRA, abdom. 246e, 360-1; absence 248m; calculi 304g; cancer 331t; dis. 339g; inflamm. 219e, 263c; surg. 229c, 394s

URIC ACID, metab. 209u

URINARY TRACT, abdom. 348n; calculi 217s; infect. 321j, 360r; roent. 360p

URINATION, incontinence 304r, 321f, 360j

URINE, amino acids 344h; chem. 256s, 280a, 313v, 314w; cholesterol 198f, 198h; glucuronic acid 198e; indican 201j; peptides 344h; phosphorus 280i; reaction 310h, 314m; sodium compounds 326a; steroids 273n, 334g; suppression 231o,

270o, 321b

UROLOGY, progr. 329r

URTICARIA, etiol. & pathogen. 255m, 281j; pigmentosa 277m; ther. 249m

UTERUS, abdom. 318f; absence 248m, 321w; blood supply 194f; cancer 194v, 195-1, 206d, 206f, 208-1, 224i, 224o, 229e, 260f, 260p, 263a, 266n, 270g, 274i, 307g, 330a, 333v, 338v, 356i, 356j; cervix 260e; contractions 211u, 259u; displacements 322k; effects of drugs on 296k; excis. 214k, 327s; hydaltform mole 332u; pathol. 346o; physiol. 206m, 260s, 296k; prolapse 318h, 333n; roent. 260m, 356e; rupt. 260b; torsion 206g; tumors 272j

UVEA, cysts 288b; inflamm. 287i, 287j, 304p

VACCINES, 215o, 249j

VAGINA, 206f; absence 321w; bact. 206m; dis. 206g; secretion 206d, 206e, 225a, 307h

VANADIUM AND VANADIUM COMPOUNDS, tox.

333e

VANILLIN AND VANILLIN COMPOUNDS, 237i

VARICOCELE, 221m

VARICOSE VEINS, ther. 218v

VASOMOTOR SYSTEM, anat. & histol. 295v; eff. of drugs on 353-1, 360p; physiol. 295u, 296w

VEINS, 203r; cancer 251g; dis. 308c, 324g; jugular 240v; pathol. 319r; roent. 214k; saphenous 283h; surg. 324k

VENAE CAVAE, surg. 248h, 338r

VENEREAL DISEASES, 233k; prev. & control 324j, 360u, 360v; ther. 201s, 218b

VENTILATION, 245c, 308j

VERATRINE, 309r

VERRUCA, ther. 327g, 333g

VERTIGO, 324n; aural 289s, 358b

VESICATION, 317o

VIBRATION, 316i, 316v

VIRUSES, 245d, 265b, 306t; dis. 204p, 227f, 306-1, 355e

VISCERA, abdom. 358o, 358p; dis. 275r

VISION, 244k, 288v, 317j; acuity 238-1; conservation 345o; defective 238g, 345f; field of 288n; physiol. 257t, 258d; stereoscopic 354n; tests 259e, 289n, 345o

VITAL STATISTICS, mortal. 286r, 355a, 355b, 355c

VITAMINS, 207d, 236r, 236e, 260b, 268p, 268v, 306i,

337a, 344m; bibliogr. 236w

VITAMINS, A, 198o, 202q, 218c, 230a, 243g, 262g, 287k

VITAMINS, B, 198i, 206o, 210p, 236q, 236r, 236t, 239h, 256m, 265n, 273u, 276d, 278-1, 281v, 310e, 310f, 318q, 336a, 344g

VITAMINS, D, 213o, 219a, 254p, 255g, 265h, 272e, 355v

VITAMINS, E, 193f, 239i, 308d

VITAMINS, K, 273u

VITILIGO, 274a

VOCAL CORDS, 346k

VULVOVAGINITIS, 255b, 270i

WAR, 298o; prison and internment camps 313r

WASSERMANN REACTION, 218s

WATER, 264r; metab. 338-1; mineral 263j, 324q,

325e; pollution 355e

WELTMANN REACTION, 232o

WHEAT, 203u, 343p

WHOOPING COUGH, compl. & seq. 333s; diag.

349r; ther. 211g, 228t

WOMEN, 220-1

WOOD, 256a

WORK, 315v

WORMS, 255s, 276v, 317f

WOUNDS, healing 290b

XANTHINES, 309u

XANTHOMA, 277n, 313i

XANTHOPTERIN, 309u

XERODERMA, pigmentosum 215m

YAWNING, 235v

YEASTS, 256h, 344m; culture 250q; metab. 306o,

306s

YTTERBIUM, 199-1
ZINC, 196b, 196fZONULE OF ZINN, 287j
ZYGOMA, fract. 248q

CURRENT LIST OF MEDICAL LITERATURE

ALPHABETICALLY BY SUBJECT	
1. Anatomy	2. Physiology
3. Pathology	4. Therapeutics
5. Hygiene	6. Dietetics
7. Pharmacology	8. Obstetrics
9. Gynecology	10. Pediatrics
11. Dermatology	12. Ophthalmology
13. Otorhinolaryngology	14. Neurology
15. Psychiatry	16. Legal Medicine
17. Forensic Medicine	18. Public Health
19. Epidemiology	20. Preventive Medicine
21. Vaccines	22. Bacteriology
23. Microbiology	24. Immunology
25. Zoology	26. Botany
27. Entomology	28. Fishery
29. Agriculture	30. Forestry
31. Mining	32. Metallurgy
33. Chemistry	34. Physics
35. Mathematics	36. Astronomy
37. Geography	38. History
39. Literature	40. Art
41. Music	42. Sports
43. Games	44. Hobbies
45. Miscellaneous	46. Unpublished

THE MEDICAL JOURNAL
PUBLISHED WEEKLY